

Blower function keeps the cut line clean.

Soft start

allows for accurate landing of the blade on the surface of workpiece in various applications. Soft no load speed

reduces the blade stroke at a no load speed of 3,500r/min (highest speed mode) for easy trace of cutting line.

Dust nozzle can be attached over the sawdust exhaust port for connection to Makita vacuum cleaner.

Battery and Charger is NOT included





Excellent Performance Provides High Productivity

Compact, Lightweight design

Powerful BLDC motor

provides higher operating efficiency than that of the current BLDC motor, increasing max output power and work amount on a single full battery charge.







Top handle type



2.6kg (DJV182ZK)

DJV182ZK; with battery BL1840

Trigger switch with lock-on button

provides the same excellent operability as AC models

How to start the machine; Press Lock-off button once*1 and the machine will be turned into standby mode and LED job light will turn on. Then pull the trigger of Switch within 10 seconds*2 and the machine will start. For continuous operation, pull the trigger then push in Lock-on button.

How to stop the machine; Release the trigger of Switch to stop the machine. When the machine is locked in continuous operating mode, pull the trigger fully then release it.



- *1: If you press Lock-off button once again within 10 seconds, LED job light will turn off and the machine will be automatically locked in off mode.
- *2: If Lock-off button is not pressed nor the trigger of Switch is not pulled for 10 seconds after LED job light is turned on, the light will automatically turn off and the machine will be automatically locked in off mode.

Note: Trigger switch is disabled when the machine is locked in off mode.

LED job light (twin-light)

for illuminated operation



Toolless blade clamp

Blade can be attached with single action - simply by pushing it into the clamp;

can be also removed easily with single action - simply by turning large lever



Top handle type

DJV182ZK