



 		
BL1840 4.0Ah	36min. Fast Charging	90min.
BL1830 3.0Ah	22min. Fast Charging	60min.
BL1815N 1.5Ah	15min. Fast Charging	30min.

Cordless Combination Hammer		DHR263ZK 26mm Adapted for SDS-PLUS bits	442
<ul style="list-style-type: none"> Variable Speed Reversing SDS-PLUS Shank Torque Limiter 	<ul style="list-style-type: none"> Dust Collecting Built-in Job Light Carrying Case 	<p>DHR263ZK</p> <p>Capacity Concrete : 26mm Steel : 13mm Wood : 32mm</p> <p>Impacts per minute (ipm) No load speed (r/min) Dimensions (L x W x H) Net weight</p> <p>0-5,000 0-1,250 350x116x232mm 4.6kg</p> <p>Standard Equipment : Depth Gauge, Side Grip (Tool does not come with bit.)</p>	

Items of standard equipment and specifications may vary by country or area.

Sold Without Batteries and Charger



Cordless Combination Hammer DHR263ZK 26mm

Satisfy Professional's Needs



LXT
LITHIUM-ION

XPT
EXTREME PROTECTION TECHNOLOGY



18v + 18v = 36v

Powered by two 18V Li-ion



Outstanding Performance and Compact Design

Tool does not come with bit.


Anti-slip soft grip

Reverse switch operable by one hand



One touch slide chuck adapted for SDS-PLUS bit

40 different bit-angle settings



Elastomer for front guard

Tool does not come with bit.


18V + 18V → 36V

Powered by two 18V Li-ion batteries in series

Two 18V Li-ion batteries can be directly installed on the machine to supply energy to the powerful 36V DC motor drive system.

The compatible batteries are: 1.5Ah BL1815N, 3.0Ah BL1830, 4.0Ah BL1840.

Sold Without Batteries and Charger



Vibration absorbing handle provides comfortable operation.

ergonomically designed to:

- give maximum power thrust.
- provide a sure and comfortable grip.



3 mode operation

- Rotation only
- Rotation + Hammering
- Hammering only

Battery capacity warning lamp



When remaining battery capacity decreases below a certain limit, the motor automatically stops and solid red light reminds you to replace battery. One warning lamp for each individual battery

LED job light

with preglow and afterglow functions

- On pulling switch trigger, the light automatically turns on before motor starts turning.
- keeps on illuminating about 12-13 sec. after trigger release.

Extreme Protection Technology

For use in outdoor applications or harsh environments, protection from dust and dripping water is enhanced.

