

[illegible]

2021 CATALOGUE

MM12BS

Band Saw - 12 Inch (305mm)



Power Input: 750W
Voltage: 230V-50HZ
Throat: 305mm
Cutting Depth: 170mm
2 Speed: 370/800m
Table Angle: 0 - 45°

Table Size: 480x390mm
Blade width: 3 - 20mm
Blade length: 2240mm
Weight: 53kg
Standard length
power cord: 1.8m

MM14BS

Band Saw - 14 Inch (355mm)



Power Input: 1100W
Voltage: 230V-50HZ
Throat: 340mm
Cutting Depth: 225mm
2 Speed: 370/800m/min
Table Angle: 0 - 45°

Table size: 545x400mm
Table: Cast Iron
Blade Sizes: 3 - 25mm
Blade Length: 2560mm
Weight: 75kg
Standard length
power cord: 1.8m

MM150BG25

Bench Grinder - 150mm



Motor: 250W
Voltage: 230V-50HZ
No Load Speed: 2950rpm
Wheel Size: 150x20mm

Arbor Hole: 12.7mm (1/2") Wheel
Grit: Med & Course
Standard length
power cord: 1.65m

MM200BG

Bench Grinder - 200mm



Motor: 400W
Voltage: 230V-50HZ
No Load Speed: 2950rpm
Wheel Size: 200x20mm

Arbor Hole: 16.0mm (5/8")
Wheel Grit: Med & Course
Standard length
power cord: 1.65m

MM250BG75

Bench Grinder - 250mm



Motor: 750W
Voltage: 230V-50HZ
No Load Speed: 2950rpm
Wheel Size: 250x25mm

Arbor Hole: 32mm
Wheel Grit: Med & Course
Standard length
power cord: 1.65m

MM250BG90

Bench Grinder HD - 250mm



Motor: 900W
Voltage: 230V-50HZ
No Load Speed: 2950rpm
Structure: Heavy Duty
Wheel Size: 250x32mm

Wheel Grit: Med & Course
Arbor: 32mm
Standard length
power cord: 1.65m

MM150BGS

Bench Grinder / Sander Combo



Motor: 350W
Voltage: 230V-50HZ
Wheel Dia.: 150x12.7mm

Belt Size: 50x686mm
No Load Speed: 2950rpm
Standard length
power cord: 1.65m

MMWD150BG

Bench Grinder – Wet & Dry



Motor: 350W
Voltage: 230V-50HZ
Dry Wheel: 150x20x12.7mm
Grit: 36G
Wheel Speed (dry): 2,950rpm

Wet Wheel: 200x40x20.0mm
Grit: 80G
Wheel Speed (Wet): 134rpm
Standard length
power cord: 1.65m

GS-B

Bench Grinder Stand



Pedestal stand used for all Martlet Bench Grinder.
Sold seperately.

MMJ500DP

Drill Press - Bench Type



Voltage: 230V-50HZ
Input power: 500W
No-load motor speed: 1450/min
Spindle Speed: 9 speeds
Drill Chuck: B16/3-16
Work table: 160x168mm
Base table: 15x200mm
Spindle stroke: 50mm

Spindle table: 220mm
Spindle-floor plate: 300mm
Spindle-column: 115mm
Column & length: Ø46/420mm
Product Height: 620mm
Product Width: 480mm
Standard length power cord: 1.65m

MM550DP

Drill Press - Bench Type



- Front emergency switch
- Magnetic switch
- Cast iron working table, cast iron base
- Micro-switch inside pulley cover box
- Chuck guard

Motor: 550W
Voltage: 230V-50Hz
Drill Chuck: 16mm
Chuck Capacity: 3-16mm
Spindle Travel: 60mm
Speed: 12
Speed Range: 300 - 2550rpm
Swing: 260m

Table Size: 200 x 200mm
Base Size: 340x210mm
Column Dia.: 58mm
Gross Weight: 29kg/31kg
Standard length power cord: 1.8m

MM750DP2

Drill Press - Bench Type



- Front emergency switch
- Magnetic switch
- Cast iron working table, cast iron base
- Micro-switch inside pulley cover box
- Chuck guard

Motor: 750W
Voltage: 230V-50HZ
Drill Chuck: 16mm
Chuck Capacity: 3-16mm
Spindle Travel: 85mm
Speed: 12
Speed Range: 280 - 2830rpm
Swing: 360mm

Table Size: 290x290mm
Base Size: 460x270mm
Column: 72mm
Weight: 55kg/57kg
Standard length power cord: 1.8m

MM900DP

Drill Press - Floor Type



- Front emergency switch
- Magnetic switch
- Cast iron working table, cast iron base
- Micro-switch inside pulley cover box
- Chuck guard

Motor: 900W
Voltage: 230V-50HZ
Drill Chuck: 20mm
Chuck Capacity: 5-20mm
Spindle Travel: 85mm
Speed: 12
Speed Range: 280 - 2380rpm
Swing: 352mm

Table Size: 290x290mm
Base Size: 460x270mm
Column Dia.: 80mm
Weight: 71kg/75kg
Standard length power cord: 1.8m

MM300DE

Dust Extractor - Single Bag



Motor: 1500W
Voltage: 230V-50HZ
Fan Dia.: 300mm
Inlet Dia.: 125mm
Air Speed: 15m²/min
Bag Dia.: 500mm
Bag Height: 850mm

Bag Volume: 0,153
Intake Holes: 2
Top Bag: Cloth
Bottom Bag: Plastic
NW/GW: 47kg
Standard length power cord: 1.75m

MM300DET

Dust Extractor - Twin Bag



Motor: 2200W
Voltage: 230V-50HZ
Fan Dia.: 300mm
Inlet Dia.: 150mm
Air Speed: 9m²/min
Bag Dia.: 500mm
Bag Height: 850mm

Bag Volume: 0,307
Intake Holes: 3
Top Bags: Cloth
Bottom Bags: Plastic
NW/GW: 59kg
Standard length power cord: 1.75m

MM150J

Jointer (Surface Planer) - 150mm



Motor: 1100W
Voltage: 230V-50HZ
Table Size: 1210x255mm
Table Material: Cast Iron
Fence Size: 740x125mm
Fence tilt: 45°-135°
No of Knives: 3

C Block Dia.: 61mm
Cutting width: 152mm
Max cutting depth: 13mm
Rabbeting: 13x152mm
Cutter Block Spd.: 4400rpm
Stand: Closed
Standard length power cord: 1.83m

MM250PT

Jointer-Planer



Technical Data- Jointer


Cutting Width: 254mm
Cutting Depth: 3mm
Fence Angle: 635x127mm
Angle Fence: 90 -135
Working Table: 1050x260mm

Technical Data- Planer

Cutting Width: 254mm
Cutting Thickness: 6 -160mm
Cutting Depth: 2mm
Working Table: 480x254mm

MM10DS

Disc Sander (250mm)



Motor: 550W
Voltage: 230V-50HZ
No-load speed: 1450rpm
Belt Size: 250mm

Table Size: 300x140mm
Table Tilting Range: 0° - 45°
Gross/Net Weight: 11/10kg
Standard length power cord: 2m

MM46BDS

Belt & Disc Sander (100x150mm)



Motor: 375W
Voltage: 230V-50HZ
No-load speed: 1450rpm
Belt Size: 100x915mm
Disc Size: 150mm
Table Size: 190x125mm

Table Tilting Range: 0° - 45°
Belt Tilting Range: 0° - 90°
Packing Size: 500x300x260mm
Gross/Net Weight: 12/11kg
Standard length power cord: 2m

MM69BDS

Belt & Disc Sander (152x230mm)



Motor: 550W
Voltage: 230V-50HZ
Speed of Belt: 1240rpm
Speed of Disc: 1700rpm
Abrasive belt size: 1219x152mm

Disc diameter: 228.9mm
Working table size: 298x152mm
Working table tilt: 45°
Adjustable Belt Arm
Standard length power cord: 1.83m

MM2010HVS

Horizontal & Vertical Sander



Motor:	1100W TEFC	Table Height:	810mm
Voltage:	230V-50HZ	Round end dia.:	70mm
Belt Speed:	13m/Sec	Front Table Size:	790x221mm
Belt Size:	152x2010mm	Side Table Size:	514x221mm
Max Sanding Length:	790mm	Table Tilts:	0° - 45°
Dust Chute Dia.:	100mm	Standard length	
Stand Height:	600mm	power cord:	1.83m

MM15SS

Scroll Saw - 400mm



Motor:	120W	Throat depth:	410mm
Voltage:	230V-50HZ	Speed - Variable:	400-1600rpm
Max Cutting Depth:	50mm	Table Size:	400X250mm
Blade Length:	127mm	Table Angle:	0° - 45°

MM405CO

Heavy Duty Cut Off Machine (405mm)

With Compliant Safety Guard



Motor:	3000W	Adjustable Vice:	0° x 45°
Voltage:	380V-50HZ	Magnetic Switch	
Disc Speed:	2870rpm	Enclosed Safety Guard	
Blade Diameter:	405mm	Net Weight:	98kg
Cutting Capacity Solids:	40mm	Standard length	
Cutting Capacity Pipes:	100x6mm	power cord:	1.6~1.7m

MM5RS

Dual Function Roller Stand



Adj. Height:	680x1120mm	Ball Dia.:	25,4mm
Bearing Roller dia.:	50mm	Number of Balls:	5
Number of Bearings:	5	Max Holding Weight:	60kg
Steel Housing Length:	285mm	Weight:	5kg

MMJ130RT

Rotary Tool and Accessories Set
119 Piece



- 1pc Electrical Grinder
10pcs sanding band 6.35x12.7mm
10pcs sanding band 12.7x12.7mm
2pcs aluminum oxide grinding wheel 9.5x12.7mm
2pcs silicon carbide grinding wheel 10.3x4mm
1pc PP brush axial 5x44.5mm
1pc PP brush axial 12.7x44.5mm
1pc steel wire brush axial 5x44.5mm
1pc steel wire brush axial 12.7x44.5mm
1pc brass brush axial 5x44.5mm
1pc brass brush axial 12.7x44.5mm
1pc sanding shank 12.7x12.7mm
1pc sanding shank 6.35x12.7mm
4pcs aluminum oxide grinding wheel 20x3.6mm
4pcs silicon carbide grinding wheel 20x3.6mm
6pcs diamond cutters3pcs HSS cutters
3pcs chrome plated collect:3.2mm,2.4mm,1.6mm
6pcs HSS drills: 3.2mmx2, 2.4mmx2, 1.6mmx2
1pc polish compound
- 45pcs sanding disc
5pcs fibre glass cut off wheel
1pc cloth wheel 25.4x3.2mm
1pc felt wheel 25.4x6.35mm
2pcs felt wheel 12.7x9.5mm
1pc felt wheel point 9.5x19mm
1pc mandrel for cut off wheel
1pc mandrel for cloth wheel
1pc mandrel for felt wheel
1pc wrench 9.5mm
Electrical Grinder: 135W, 230V, 50Hz.
Speed: 8,000 - 33,000rpm.

MM610-400RT

Router Table



Table Size: 608x400x25mm
Fence Size: 304x152x25mm
Stand Height: 370mm

MM810-610RT

Router Table



Table Size: 800x606x36mm
Fence Size: 458x152x25mm
Stand Height: 860mm

MM250CTS

Table Saw



Rated Power:	S6 40% 2000W	Table size (mm):	690x512 (w/o extension table)
Table height (mm):	870	With 1piece TCT	
Speed:	3400rpm	Saw Blade:	40T / ϕ 254mm
Table material:	Cast Iron	Table size (mm):	690*1020(with extension table)
Blade teeth:	40T	Weight:	118kg
Extension table:	Cast Iron		
Max cutting height:	80(90°)/52(45°)		
Induction motor:	Aluminum wire motor		

MM250TS

Table Saw



Table size:
(With extension table):
Saw blade/ bore size:
Motor:
Blade speed:
Max. depth of cut at 90 degree:

635 x 420mm
635x 1000mm
254mm Dia.30 mm
2200W
4000 RPM
80mm

Max. depth of cut at 45 degree: 65mm
Cutting width with extension table: 750mm
Coupling joint for vacuum exhaust: 100/25mm
Net Weight (include floor stand): 110kg

MM40VC

Vacuum Cleaner 40 Litre

Power
Tool
Socket

1200W

- Stainless Steel Drum
- Portable
- 10 Piece Accessory Kit Included

Standard Accessories



2x Universal Power Tool
Adapters



Floor Nozzle



Utility Nozzle



Extension Wands



Hose



Crevice Nozzle



Cartridge Filter



MM30VC

Vacuum Cleaner 30 Litre

Power
Tool
Socket

1200W

- Stainless Steel Drum
- Portable
- 10 Piece Accessory Kit Included

Standard Accessories



2x Universal Power Tool
Adapters



Floor Nozzle



Utility Nozzle



Extension Wands



Hose



Crevice Nozzle



Cartridge Filter



Cloth Bag

MARTLET

LIGHT INDUSTRIAL MACHINERY

ACCESSORIES



Rutherford

a member of the **Hudaco** group

Johannesburg:

Tel : (011) 878-2600

Fax : (011) 873-5010

Cape Town:

Tel : (021) 932-0568

Fax : (021) 932-2762

Durban:

Tel : (031) 717-6400

Fax : (031) 709-1928

ABRASIVES

ABRASIVE WHEELS

ARB Cut Off Steel
MACD115S
115x1.0mm



ABR Grinding Disc Steel
MAGD115S
115x4.5mm



ABR Disc Flap
MAFD115-40
115mm-72



ABR Disc Flap
MAFD115-80
115mm-72



ARB Cut Off Steel
MACD230S
230x2.0mm



ABR Grinding Disc Steel
MAGD230S
230x6.0mm



ABR Disc Flap
MAFD115-60
115mm-72



ABR Disc Flap
MAFD115-120
115mm-72



Sanding Belts

100x610mm P40 (pack of 10)
MA100-610MM-P40

100x610mm P60 (pack of 10)
MA100-610MM-P60

100x610mm P80 (pack of 10)
MA100-610MM-P80

100x610mm P100 (pack of 10)
MA100-610MM-P100



SANDING BELTS

CIRCULAR SAW BLADES

Circular Saw Blade
MA16040T
160x30x40T



Circular Saw Blade
MA23520T
235x30x20T



Circular Saw Blade
MA23540T
235x30x40T



Circular Saw Blade
MA23560T
235x30x60T



Circular Saw Blade
MA23580T
235x30x80T



TCT Sawblade
1390090090
250x16x28T



TCT Sawblade
1390090100
250x16x60T



DIAMOND WHEELS

Diamond Wheel
MA115DC
115mm Continuous



Diamond Wheel
MA115DS
115mm Segmented



DIAMOND WHEELS

CIRCULAR SAW BLADES

Diamond Wheel
MA230DC
230mm Continuous



Diamond Wheel
MA230DS
230mm Segmented



SCREW DRIVER BITS

SINGLE SIDED

Pz1x50mm (2 pcs)
MB-B0148

Pz2x50mm (2 pcs)
MB-B0149

Pz3x25mm Insert (2 pcs)
MB-B0152

Pz3x52mm (2 pcs)
MB-B0153

Pz3x80mm (2 pcs)
MB-B0154

Pz1x82mm (2 pcs)
MB-B0144

Pz12x82mm (2 pcs)
MB-B0145

Pz1x25mm Insert (2 pcs)
MB-B0146

Pz2x25mm Insert (2 pcs)
MB-B0147

Ph2x150mm (2 pcs)
MG-BO146

Ph2x82mm (2 pcs)
MG-BO143

Ph1x25mm (2 pcs)
MG-BO231

Ph2x25mm (2 pcs)
MG-BO232

Ph3x25mm (2 pcs)
MG-BO233



SCREW DRIVER BITS

DOUBLE SIDED

Pz2x65mm (2 pcs)
MB-B0150

Pz2x45mm (2 pcs)
MB-B0155

No.2x110mm (2 pcs)
MG-BO142

Ph1x65mm (2 pcs)
MG-BO222

Ph2x45mm (2 pcs)
MG-BO223

Ph2x65mm (2 pcs)
MG-BO224

Ph3x65mm (2 pcs)
MG-BO225



1/4" HEX E-FORM

1x50mm (2 pcs)
MG-BO236

2x50mm (2 pcs)
MG-BO237

3x50mm (2 pcs)
MG-BO238



1/4" HEX C-FORM

1x25mm (2 pcs)
MG-BO240

2x25mm (2 pcs)
MG-BO241

3x25mm (2 pcs)
MG-BO242

OTHER

Flat 0.8x5x70mm (2 pcs)
MG-BO148

S/ Phillips No.3x25mm (2 pcs)
MG-BO226

Flat 0.8x5x50mm (2 pcs)
MG-B0227

Flat 1.06x6.35x50mm (2 pcs)
MG-B0228

Flat 1.2x8.50mm (2 pcs)
MG-BO229



SCREW DRIVER BITS

MAGNETIC SOCKETS

Bit 3/8"x65mm
MG-GO189 8mm
P-51714

Bit 5/16"x65mm
MG-GO190 10mm
P-51720

Bit Holder 65mm
MG-GO193 13mm
P-51723



SETS

DRILL BIT SETS

HSS Drill Bit Set
MAHSS5 (6PC Set)



Masonry Drill Bit Set
MAMD5 (5PC Set)



SDS Plus Drill Bit Set
MASDS5 (5PC Set)



Combination Drill Set
MA18CDS (18PC Set)



6 PCS Wood Bits
3, 4, 5, 6, 8 & 10

6 PCS Metal Bits
3, 4, 5, 6, 8 & 10

6 PCS Masonry Bits
3, 4, 5, 6, 8 & 10

ROUTER BIT SETS

Router Bit Set 1/4"
1399090170



Router Bit Set 1/2"
1399090180



OTHER

Chuck 3/8x24 0,8-10mm
317255



9924DB Cork Pad
2827790570



MARTLET VACUUM CLEANER ACCESSORIES

MM30VC

MM30VC

HOSE
MM30VC-H



EXTENSION WAND
MM30VC-EW



CREVICE NOZZLE
MM30VC-CN



GULPER NOZZLE
MM30VC-GN



FLOOR NOZZLE
MM30VC-FN



CLOTH BAG
MM30VC-CB



Compatible with both MM30VC
and MM40VC

CARTRIDGE FILTER
MM30VC-CF



Compatible with both MM30VC
and MM40VC

UNIVERSAL POWER TOOL ADAPTOR
MM30VC-UPTA



Compatible with both MM30VC
and MM40VC

MM40VC

MM40VC

HOSE
MM40VC-H



EXTENSION WAND
MM40VC-EW



CREVICE NOZZLE
MM40VC-CN



UTILITY NOZZLE
MM40VC-GN



FLOOR NOZZLE
MM40VC-FN



CLOTH BAG
MM30VC-CB



Compatible with both MM30VC
and MM40VC

CARTRIDGE FILTER
MM30VC-CF



Compatible with both MM30VC
and MM40VC

UNIVERSAL POWER TOOL ADAPTOR
MM30VC-UPTA



Compatible with both MM30VC
and MM40VC

MARTLET

Rutherford

A MEMBER OF THE **Hudaco** GROUP

FOR WHOLESALE TRADE ENQUIRIES ONLY

CAPE TOWN

Tel: (021) 932-0568

Fax: (021) 932-2762

DURBAN

Tel: (031) 717-6400

Fax: (031) 709-1928

JOHANNESBURG

Tel: (011) 878-2600

Fax: (011) 873-5010

www.rutherford.co.za

