



Accessories Catalogue



MARTLET
Light Industrial Machinery

April 2018


Index

Section	Page
Angle Grinder / Sander-Polisher Accessories	2
Bench Grinder / Die Grinder / Straight Grinder Accessories	4
Belt Sander - Sander Accessories.....	4
Abrasives.....	6
Orbital / Random Sander Accessories.....	7
Blower and Vacuum Accessories	8
Dust Bags.....	9
Nozzles and Hoses.....	10
Biscuit Joiner Accessories.....	10
Brad Nailer Accessories	10
Ni-Cd & Lithium-Ion Batteries / Chargers	11
Cordless Tool Accessories.....	13
Saw Blades.....	15
Circular / Mitre / Table / Band Saw Accessories	18
Cut-Off Abrasive Discs & Accessories.....	19
Drill Chucks, Keys and General Drill Accessories	21
Grips / Handles for Drills and Rotary Hammers	23
Diamond Wheels	24
Jig Saw Blades	25
Recipro Saw Blades	28
Jig Saw Accessories.....	30
Nibbler / Shear Accessories	31
Planer Accessories	32
Router / Trimmer Accessories	33
Screwdriver Accessories	35
Rotary Hammer Accessories.....	38
Breaker Accessories.....	40
Multi Tool Accessories	42
Outdoor Power Equipment Accessories.....	46

Angle Grinder / Sander-polisher Accessories

Flanges & Lock Nuts

Model	Description	U/M	Stock Code
115, 125, 150, 180 & 230mm Grinders	Inner flange 42 standard with machine M14 x 2 (DIN)	EA	224415-9
115, 125, 150, 180 & 230mm Grinders	Lock nut 14-45 standard with machine	EA	224543-0
115, 125, 150, 180 & 230mm Grinders	Special lock nut 14-47 (Prevents lock up) Toolless	EA	192567-3
230mm Grinders	78mm Safety cutting flange required when using abrasive cutting wheels	EA	191845-8



When cutting with a 230mm cutting disc it is recommended to use the 78mm safety flanges - 1/3 of dia. covered by flange. This is used in conjunction with a standard lock nut.



Inner Flange
(back and front view) 224415-9



Lock nut
(back and front view) 224543-0



Toolless lock Nut
(prevents lock-up)
192567-3



Safety cutting flange set
to be used with standard lock nut
191845-8

Rubber Pads & Nut Sets

Model	Description	U/M	Stock Code
All 125mm models	Rubber pad & nut 115mm outer diameter	SET	B-00860
All 230mm models	Rubber pad & nut 170mm outer diameter	SET	B-00876



Polisher Sander Accessories

Model	Description	U/M	Stock Code
9227CB / 9237CB	Lambswool bonnet hook and loop type - 180mm	EA	192629-7
9227CB / 9237CB	Velcro pad 165 M14 x 2 (DIN)	EA	743053-3
Most sander/polishers and angle grinders with 14x2mm (Din) thread	Rubber pad set (incl. sanding lock nut)	EA	B-00876



Lambswool
bonnet
hook & loop
(Velcro) type
192629-7



Velcro pad 165mm
for lambswool
bonnet 192629-7
743053-3



Rubber pad
complete
with lock nut



Dust cover set
195239-9

Wheel Covers

Model	Description	U/M	Stock Code
9554HN / 9557HN / BGA452 / DGA452 / 9564H / MT952	115 Angle grinder wheel cover	EA	125267-0
GA4530 / GA4534 / MT962	115mm Angle grinder wheel cover	EA	122886-3
MT957 - Maktec	125mm Angle grinder wheel cover	EA	165363-2
GA5010	125mm Angle grinder wheel cover	EA	122887-1
GA9050 / GA9040 / GA9020	230mm Angle grinder wheel cover	EA	122891-0
MT903 / M9001B	230mm Angle grinder wheel cover	EA	122892-8
GA9020 / GA9030 / GA9040S	230mm Angle grinder wheel cover	EA	154672-4
GA9010C	230mm Angle grinder wheel cover (toolless)	EA	163445-4
115 - 125mm model angle grinders	Dust cover set for cup type diamond wheel	EA	195239-9
180 - 230mm model angle grinders	Dust cover set for cup type diamond wheel	EA	195385-8
Most 125mm models	For grinder with 3 notches on bearing box	EA	196845-3
Most 230mm models	230mm Cutting Guide	EA	194044-1



125mm Dust
collecting wheel guard
196845-3



230mm Cutting guide - does not fit
GA9050
194044-1

Angle Grinder / Sander-Polisher Accessories

Grips & Loop Handles

Model	Description	U/M	Stock Code
100 - 150mm Grinders	Stick type grip	EA	153489-2
GA5010 / GA4530 / GA4534	Stick type grip	EA	153504-2
180 & 230mm Grinders	Stick type grip	EA	152539-0
100 - 150mm Grinders	AVT grip, lower vibration	EA	194514-0
9227CB / 9237CB	Loop handle	EA	455293-8



Stick type grip



Loop handle

Wire Mesh Intake Covers (Engineered to prevent debris from entering motor)

Model	Description	U/M	Stock Code
GA9050 / GS5000	Wire mesh intake cover	PAIR	195059-1




Wire Mesh Intake Covers

Lock Nut Wrenches

Model	Description	U/M	Stock Code
115 & 125mm Grinders	Locknut wrench 35	EA	782423-1
180 & 230mm Grinders	Locknut wrench 35 (HD) 2 pin spanner	EA	782407-9
180 - 230mm grinders	Locknut release socket 12,7mm square drive to release tight and jammed on grinder flanges	EA	194305-9



Locknut wrench 35 782423-1



Locknut wrench 2 pin HD 782407-9



Lock nut release socket 194305-9. Use with 1/2" impact wrench

Diamond Blades for Angle Grinders

For Material

1	Hard concrete, granite, gneiss, smoothable engineering, carbonaceous shale, sidewalk slate, engineering block / engineering block class 2
2	Concrete, block, U-shape groove, sidewalk block, cemented tile
3	Marble, unglazed tile
4	Brick, aggregate block, french tile
5	Asphalt
6	Tile
7	Glass

Model	Description For Material	Bore Size & Blade Thickness	Blade Dia.	U/M	Stock Code
SG1250 / SG1251	***Gold - 1, 2, 3, 4, 5 - segmented rim	22.23mm / 2.0mm	125mm	EA	B-02054
230mm Grinders	** Gold - 2, 3, 4, 5 - segmented rim	22.23mm / 2.5mm	230mm	EA	A-84137



Segmented rim



SG1251



GA9020


Bench Grinder / Die Grinder / Straight Grinder Accessories

Grinding Wheels for Bench Grinder / Straight Grinder

Model	Description	Size	Grit	U/M	Stock Code
GB602	Grinding wheel	150 x 16 x 12.7mm	WA60	EA	A-47210
GB602	Grinding wheel	150 x 16 x 12.7mm	GC120	EA	A-47204
GB801	Grinding wheel	205 x 19 x 15.88mm	WA60	EA	A-47260
GS5000	Grinding wheel for metal	125 x 20 x 20.0mm	A24PV	EA	B-34039
MD150BG / BGS	Grinding wheel	150 x 20	A60N5V	EA	1309690009
MD200BG / MD200BGE	Grinding wheel	200 x 25	A36N5V	EA	1309590003
MD250BG	Grinding wheel	250 x 25	A36PV	EA	1309490003
MD250BG	Grinding wheel	250 x 25	A60PV	EA	1309490006



Grinding wheel A-47210



Grinding wheel A-47204



Grinding wheel B-34039



6mm Collet cone 763670-3



6mm Collet nut 763645-2

Die Grinder Accessories: Collet Cones & Nuts

Model	Description	U/M	Stock Code
906 / GD0600 / GD0603	Collet cone 1/4"	EA	763625-8
	Collet cone 3mm	EA	763627-4
906	Collet nut 6mm	EA	763606-2
906 / GD0600	Collet nut 6mm	EA	763664-8
906 / GD0600 / GD0603	Collet cone 6mm	EA	763620-8
GD0603	Collet nut 6mm	EA	763236-9
GD0800C / GD0810C / DGD0800 GD0801C / GD0811C / DGD0800	Collet cone 6mm standard w/out nut	EA	763646-0
	Collet cone 6mm set with collet nut	1 SET	193012-1
	Collet cone 6mm	EA	763670-3
	Collet cone 1/4" with nut	1 SET	193143-6
	Collet cone 8mm set with nut	1 SET	192988-9
	Collet nut 6mm	EA	763645-2
GD0600 / GD0800C / GD0810C	Side handle grip	EA	192985-5
GD0801 / GD0811C / DGD0800	Collet nut	EA	763668-0
DGD0800	Collet cone 6mm	EA	763670-3

Die Grinder Wrenches

Model	Description	U/M	Stock Code
GDO810C / GDO801C / GDO811C	Wrench 19mm	EA	781206-6
906	Wrench 17mm	EA	781008-0
GDO600	Wrench 13mm	EA	781039-9
GDO800 / GDO810C / GDO801C / GDO811C	Wrench 13mm	EA	781203-2



19mm Wrench
781206-6

Belt Sander - Sander Accessories

Graphite, Cork & Steel Plates

Model	Description	U/M	Stock Code
9401	Graphite pad A-86262	EA	A-86262
9403	Graphite pad	EA	421648-9
MT940 / M9400/B	Graphite pad	EA	424057-1
9924DB	Graphite pad	EA	423036-6
9401, 9403	Cork rubber plate	EA	421093-8
9903	Cork rubber plate	EA	193199-9
9924DB	Cork pad	EA	2827790570
9401 / 9403	Cork pad	EA	2827590550
MT940 / 9401 / 9403 / M9400/B	Rubber plate	EA	424058-9
9401	Steel plate	EA	342328-3
9403	Steel plate including cork rubber plate	EA	150980-1



Graphite pad 423029-3



Cork pad 2827790570



Steel plate 342328-3

Belt Sander - Sander Accessories Continued
General Belt Sander Accessories

Model	Description	U/M	Stock Code
Various	Hose set 2.5m x 19mm dia.	EA	192108-5
9924DB / 9900B	Dust bag	EA	122296-4
9403	Dust bag	EA	122562-9
9401	Dust bag	EA	122297-2
MT940	Dust bag assembly	EA	135132-5
9032	6mm Sanding arm assembly	EA	125157-7
9032	9mm Sanding arm assembly. Standard with machine	EA	125158-5
9032	13mm Sanding arm assembly	EA	125159-3
MT940 / M9400B	Fastener	EA	419876-8
9401	Fastener	EA	410602-8
MT940 / M9400/B	Edge slider	EA	345726-0
9900B / 9924DB	Edge slider	EA	155326-6
9401	Edge slider	EA	155885-0
9403	Edge slider	EA	150846-5
M9400B	Dust bag	EA	123328-0



Hose set 2.5m x 19mm dia.
192108-5



Dust bag for 9403
122562-9



Dust bag for 9401
122297-2



Dust bag for MT940
135132-5



Sanding arm assembly
125159-3



Fastener (for dust bags)
410602-8



Edge slider
155885-0

Abrasives

Sanding Belts

Model	Description	Size	U/M	Stock Code
Makita 9032 Use with 6mm sanding arm #125157-7	Sanding belt - 80 grit for wood/metal	6 x 533mm	10	A-34534
	Sanding belt - 40 grit for wood/metal		10	A-34447
	Sanding belt - 60 grit for wood/metal		10	A-34453
	Sanding belt - 80 grit for wood/metal		10	A-34469
Makita 9032 Use with 9mm sanding arm #125158-3	Sanding belt - 100 grit for wood/metal	9 x 533mm	10	A-34475
	Sanding belt - 120 grit for wood/metal		10	A-34481
	Sanding belt - 40 grit for wood/metal		10	A-34562
	Sanding belt - 60 grit for wood/metal		10	A-34578
Makita 9032 Use with 13mm sanding arm #125159-3	Sanding belt - 80 grit for wood/metal	13 x 533mm	10	A-34584
	Sanding belt - 100 grit for wood/metal		10	A-34590
	Sanding belt - 120 grit for wood/metal		10	A-34609
Makita 9030 / 9031 Black belt	Sanding belt - 60 grit for glass	30 x 533mm	10	K53926
	Sanding belt - 80 grit plastics		10	K54046
	Sanding belt - 100 grit fibreglass		10	K54322
	Sanding belt - 120 grit ceramics		10	K54502
Makita 9924DB / 9401 / 9403 Maktec MT940	Sanding belt - 40 grit for wood/metal		10	K4478
	Sanding belt - 60 grit for wood/metal		10	K4480
	Sanding belt - 80 grit for wood/metal	100 x 610mm	10	K4481
	Sanding belt - 100 grit for wood/metal		10	K4482
	Sanding belt - 120 grit for wood/metal		10	K4483



6 x 533mm



9 x 533mm



100 x 610mm



30 x 533mm



13 x 533mm

Abrasive Discs (125mm) Pre-Punched / Hook and Loop Type - for Wood / Metal / Paint Removal

All Makita / Maktec 125mm models



40-320G 125mm Velcro sanding disc. (hook to loop)

Bosch
B&D / DeWalt
Milwaukee
Festool
Metabo
AEG
Hitachi

Description	U/M	Stock Code
Velcro sanding disc - 40 grit	10	D-54499
Velcro sanding disc - 60 grit	10	D-54508
Velcro sanding disc - 80 grit	10	D-54514
Velcro sanding disc - 100 grit	10	D-54520
Velcro sanding disc - 120 grit	10	D-54536
Velcro sanding disc - 150 grit	10	D-54542
Velcro sanding disc - 180 grit	10	D-54558
Velcro sanding disc - 240 grit	10	D-54564
Velcro sanding disc - 320 grit	10	D-54570

Abrasives

Abrasive Discs (150mm) Pre-Punched / Hook and Loop Type - for Wood / Metal / Paint Removal

All Makita 150mm models



Bosch
B&D / DeWalt
Milwaukee
Festool
Metabo
AEG
Hitachi

40-320G 150mm Velcro sanding disc. (hook to loop)

Description	U/M	Stock Code
Velcro sanding disc - 40 grit	10	D-54586
Velcro sanding disc - 60 grit	10	D-54592
Velcro sanding disc - 80 grit	10	D-54601
Velcro sanding disc - 100 grit	10	D-54617
Velcro sanding disc - 120 grit	10	D-54623
Velcro sanding disc - 150 grit	10	D-54639
Velcro sanding disc - 180 grit	10	D-54645
Velcro sanding disc - 240 grit	10	D-54651
Velcro sanding disc - 320 grit	10	D-54667

Orbital / Random Sander Accessories

General Orbital / Random Sander Accessories

Model	Description	U/M	Stock Code
BO4900 / 9046	Sandpaper punch plate / for allowing dust extraction through the base	EA	192523-3
BO3710	Pad for use with abrasive paper	EA	140441-9
BO4900	Rubber pad complete / for use with abrasive paper	EA	193523-6
BO6030 / BO4900 / BO5021	Dust bag without nozzle	EA	151517-7
BO6040 / BO4900	Joint for Festo type hose	EA	417408-5
BO4900 / BO5021 / BO3700	Paper dust bag holder	EA	193525-2
BO5001 / 9036 / 9046 / 9031	Hose set 2.5m x 19mm dia.	EA	192108-5
BO5021 / BO4900 / BO6030	Dust nozzle	EA	151518-5
BO5031 / BO5041	140mm wool pad for high gloss polishing	EA	794560-9
BO5031 / BO5041 / MT922 / MT924 M9204/B	Rubber velcro pad (base) 3 screw holes in base	EA	743081-8
BO6040 / BO6030 / BO6050	Wool pad - 150mm dia. hook and loop type / for high gloss polishing	EA	794619-2
BO6040 / BO6030	Rubber pad - hard (coarse sanding) 150mm	EA	196685-9
BO6040 / BO6030	Rubber pad - soft (general sanding) 150mm	EA	196684-1
BO6040 / BO6030	Rubber pad - super soft (fine sanding) 150mm	EA	196686-7



Punch plate 192523-3



Hose set 2.5m x 19mm dia.
192108-5



Wool pad
hook and loop
(velcro type)
794619-2



Rubber pad for
orbit sanders

125mm rubber VELCRO pad
743081-8 3 screw holes in base
for BO5031 & BO5041



Use with pre-punched 150mm abrasive sanding discs.

Keep the pad clear of dust and ensure longer life by regular blow-outs. Dust built-up will destroy and impair hook to loop properties

Blower and Vacuum Accessories

Blowers & Vacuum Cleaners

Model	Application	U/M	Stock Code
UB1100 / 1101	Dust bag	EA	122321-1
UB1102 / 1103	Dust bag	EA	123241-2
All Makita blowers	Flexible hose set - 950mm total length	EA	191750-9
UB1100 / 1101 / DUB182 / DVC350	Nozzle assembly - 430mm	EA	134182-7
UB1100 / 1101 / DUB182 / DVC350	Nozzle assembly - 220mm STD with UB1100 / 1101	EA	132025-7
MT400 / MT401 / M4000/B	Nozzle - 220mm	EA	421905-5
MT400 / MT401 / M4000/B	Joint	EA	418920-8
BUB182 / DUB182	Dust bag	EA	122814-8
BUB182 / DUB182 / UB1100 / UB1101	Straight pipe / use with joint 410872-9	EA	412040-0
BUB182 / DUB182 / UB1100 / UB1101	Joint	EA	410872-9
BUB182 / DUB182 / BVC350 / UB1100 / UB1100	Anchor nozzle set / use with hose inner 28mm dia.	EA	192236-6
VC2512L / VC3011L	Fleece filter bag	5 pcs	P-72899
VC2512L	Filter element	EA	P-70219
VC2512L	Disposable bag	5 pcs	P-70297
VC2512L / VC3011L	Suction hose ø27 x 3,5m AS power tool	EA	P-70487
VC2512L / VC3011L	Power tool adaptor for hose ø27 / 25-38 AS	EA	P-70415
VC2512L / VC3011L	Tool adaptor (STD with VC2512L / VC3011L)	EA	P-81745
BVC350 / DVC350	Dust bag	EA	122918-6
BVC350 / DVC350	Front cuff 38	EA	195545-2
BVC350 / DVC350	Round brush	EA	A-37471
BUB360 / DUB361	Long nozzle 530mm	EA	452123-4
BUC362	Long nozzle	EA	455915-0
M440	Crevice tool	EA	50080BON
M440	Rigid ext. Tubes	EA	50091BON
M440	Combi brush holder	EA	60277BON
M440	Scraper for floors	EA	60279BON
M440	Filter for liquids	EA	83035BHB
M440	Basket filter for wood / cement dust	EA	83100BJA
M440	Filter cartridge	EA	83201BJA
BCL180 / DCL180	Filter	EA	443060-3
BCL180 / DCL180	Pre filter	EA	451208-3
UB183D	Garden nozzle	EA	TP0000199
UB1102 / 1103	Nozzle 220mm STD with UB1102 / 1103	EA	123245-4



Dust bag 122321-1



Nozzle 220mm 132025-7



Sash Nozzle (small insert piece) 418919-3



Dust bag 122814-8



Dust bag 122918-6



Flexible hose 410208-2



Straight pipe 412040-0



Flexible hose set 191750-9



Pre filter 451208-3



Nozzle assembly 430mm 134182-7



Long Nozzle 530mm BUB360 36V Blower 452123-4



Filter 443060-3

Dust Bags

Belt Sanders

Model	Description	U/M	Stock Code
9401	Dust bag	EA	122297-2
MT940	Dust bag	EA	135132-5
9403	Dust bag	EA	122562-9
9924DB	Dust bag	EA	122296-4
M9400/B	Dust bag	EA	123328-0

9401 Dust bag
122297-2



MT940 Dust bag
135132-5



9403 Dust bag
122562-9



Biscuit Joiner

Model	Description	U/M	Stock Code
3901 / PJ7000	Dust bag	EA	123150-5



3901 / PJ7000
Dust bag
122474-6

Blowers

Model	Description	U/M	Stock Code
DUB182	Dust bag	EA	122814-8
UB1100 / UB1101	Dust bag	EA	122321-1
UB1102/ UB1103	Dust bag	EA	123241-2



DUB182
Dust bag
122814-8



UB1100 / UB1101 / UB1103
Dust bag
122321-1

Orbital & Random Orbital Sanders

Model	Description	U/M	Stock Code
BO3710 / M9203B	Dust bag	EA	140115-2
MT923	Dust bag	EA	140686-9
BO4553 / BO4555 / DBO180 / BO5010 / BO5031 / BO5041 / M9204B	Dust bag	EA	166078-4
BO4555 / BO5031 / BO5041 / DBO180	Dust box with bag	EA	135222-4
MT924 / BO4555 / DBO180 / BO5010 / BO5031 / BO5041	Dust bag nozzle	EA	416063-0
MT924 / BO4553 / BO4555 / DBO180 / BO5010 / BO5041	Dust nozzle	EA	416064-8
BO5021 / BO4900 / BO6030	Dust nozzle	EA	151518-5
BO4900 / BO6030 / BO5021	Dust bag w/o nozzle	EA	151517-7
MT924 / BO4553 / BO4555 / DBO180 / BO5010 / BO5041	Dust bag holder	EA	193525-2
9046	Dust bag complete	EA	152456-4
BO4555 / BO5031 / BO5041 / DBO180	Dust box use with 194746-9	EA	135246-0
BO4555 / BO5031 / BO5041 / DBO180	Paper dust bag	5	194746-9



Dust box with bag
135222-4



9046 Dust bag complete
152456-4



Disposable paper dust bag
193525-2



Holder only
(for disposable paper dust bag)
193526-0

Mitre Saws

Model	Description	U/M	Stock Code
LS0815	Dust bag assembly	EA	122852-0
LS1018L	Dust bag assembly	EA	JM23100501
LS1216I / LF1000 / LS1040 / LS0714	Dust bag assembly	EA	122852-0



LS1018L Dust bag assembly
JM23100501

Nozzles and Hoses

Nozzles and Hoses Accessories

Model	Description	U/M	Stock Code
9031	Hose set 2.5 / 19mm dia	EA	192108-5
RP1800	Dust nozzle assembly	EA	122850-4
BO6030	Dust nozzle	EA	151518-5
DUB182 / UB1100 / 1101 / DVC350	Blower nozzle assembly short 220mm	EA	132025-7
DUB182 / UB1100 / 1101 / DVC350	Blower nozzle assembly long 430mm	EA	134182-7
DUB182 / UB1100 / 1101	Blower flexible hose set	EA	191750-9
UB1102 / 1103	Bending long nozzle	EA	196729-5
UB1102 / 1103	Nozzle assembly short 220mm	EA	123245-4
DUB1832	Long leaf nozzle	EA	TP000000299



Biscuit Joiner Accessories

Model	Description	U/M	Stock Code
3901 / PJ7000	#0 Flat doweling biscuits compressed beech wood 47 x 15mm	100's	A-16922
3901 / PJ7000	#10 Flat doweling biscuits compressed beech wood 53 x 119.5mm	100's	A-16938
3901 / PJ7000	#20 Flat doweling biscuits compressed beech wood 60 x 23.5mm	100's	A-16944
3901 / PJ7000	Lock nut wrench 20 (2-pin spanner)	EA	782401-1
DPJ180 / 3901 / PJ7000	Inner flange 40	EA	224280-6
DPJ180 / 3901 / PJ7000	Lock nut 10 - 40	EA	224505-8
PJ7000	Grip	EA	453218-6
3901	Grip	EA	415253-2
DPJ180 / 3901 / PJ7000	Set plate: to centre blade on 12mm stock while using pivoting fence	EA	415579-2
3901 / PJ7000	Dust bag / for cleaner work area	EA	123150-5
3901 / PJ7000	Dust nozzle	EA	415252-4
3901 / PJ7000	Carbide - tipped blade 100mm x 22mm x 6T x 4mm thick	EA	B-20644
PJ7000 / 3901	Angle guide assembly	EA	123149-0



Inner flange
224280-6



Lock nut
224505-8



Set plate
415579-2



Dust bag
122474-6



Carbide - tipped blade
B20644



Angle guide assembly.
123149-0

Brad Nailer Accessories

Model	Description	Type	Gauge	U/M	Stock Code
AF505	Brad nails 20mm	F - Type	18Ga	5000 per box	B-04313
AF505	Brad nails 30mm	F - Type	18Ga	5000 per box	SA241974
AF505	Brad nails 35mm	F - Type	18Ga	5000 per box	B-04357
AF505	Brad nails 38mm	F - Type	18Ga	5000 per box	SA241987
AF505	Brad nails 50mm	F - Type	18Ga	5000 per box	B-04391
AF600	Brad nails 19mm	T - Type	16Ga	2500 per box	SA46321
AF600	Brad nails 30mm	T - Type	16Ga	2500 per box	SA46351
AF600	Brad nails 38mm	T - Type	16Ga	2500 per box	SA46361
AF600	Brad nails 45mm	T - Type	16Ga	2500 per box	SA46371
Makita	Special thin oil supply 30ml			EA	181434-7




AF505

AF600
Brad nailer



Special thin oil 181434-7



Brad Nails

Ni-Cd Batteries

Charging times depend to a large extent on battery condition and/or room temperature.

4.8V

Model	Description	U/M	Stock Code
6722DW / 6723DW	Ni-Cd 0.6Ah built-in battery	EA	TP00000164

9.6V

Battery #	Description	U/M	Stock Code
DC9000	Ni-Cd 1.3Ah long type	EA	191681-2

12V

Battery #	Description	U/M	Stock Code
DC1250	Maktec Ni-Cd 1.3Ah button type	EA	193711-5
PA12	Ni-Cd 1.3Ah button type (economy)	EA	193981-6
DC1222	Ni-Cd 1.9Ah button type	EA	192597-4



PA12 - Ni-Cd 12V
193981-6



DC1222 - Ni-Cd 12V
192597-4

14.4V

Battery #	Description	U/M	Stock Code
DC1450	Maktec Ni-Cd 1.3Ah button type	EA	193816-1
PA14	Ni-Cd 1.3Ah button type (economy)	EA	193985-8
DC1422	Ni-Cd 1.9Ah button type	EA	192600-1



PA14 - Ni-Cd 14.4V
193985-8

18V

Battery #	Description	U/M	Stock Code
DC1822	Ni-Cd 1.9Ah button type	EA	192827-3



DC1822 - Ni-Cd 18V
192827-3

Chargers

Charger #	Description	Battery Type	U/M	Stock Code
AD-0630	4.8V charger 6722 / 3DW	4.8V Ni-Cd 0.6Ah built-in	EA	TL00000023
DC1850	Maktec 1 hour fast charger 220V (9.6V - 18V) 1.3Ah Only	Maktec Ni-Cd machines	EA	193840-4

Lithium-Ion Batteries / Chargers

7.2V Lithium-Ion

Battery #	Description	U/M	Stock Code
BL7010	Li-Ion 1.0Ah battery cartridge	EA	194355-4

12V Lithium-Ion

Battery #	Description	U/M	Stock Code
BL1016	Li-Ion 1.5Ah Stick type 12V Max	EA	194550-6
BL1041B	Li-Ion 4.0Ah Slide type 12V Max	EA	197390-1

14.4V Lithium-Ion

Battery #	Description	U/M	Stock Code
BL1451	Maktec Li-Ion 1.1Ah button type	EA	195419-7
BL1415G	Li-Ion 1.5Ah G-type (fits HP347	EA	198192-8
BL1430	Li-Ion 3.0Ah slide type	EA	194065-3

18V Lithium-Ion

Battery #	Description	U/M	Stock Code
BL1815G	Li-Ion 1.5Ah G-Type (fits HP457)	EA	198186-3
BL1815N	Li-Ion 1.5Ah (slide battery)	EA	632A54-1
BL1830B	Li-Ion 3.0Ah (slide battery) with fuel gauge	EA	197599-5
BL1850B	Li-Ion 5.0Ah (slide battery) with fuel gauge	EA	197280-8
BL1860B	Li-Ion 6.0Ah (slide battery) with fuel gauge	EA	197422-4

36V Lithium-Ion

Battery #	Description	U/M	Stock Code
BL3626	Li-Ion 2.6Ah (slide battery)	EA	194873-2

Chargers

Charger #	Description	Battery Type	U/M	Stock Code
DC10WA	50min charger 220V Li-Ion 7.2-10.8V BL1013	Li-Ion 7.2-10.8V BL1013 (stick type batteries)	EA	194588-1
DC10SA	Fast CTX 12V Max Li-Ion charger 1.5Ah - 22 min 4.0Ah charge time 60 min	10.8V (slide type batteries)	EA	197355-3
DC1851	Maktec 1 hour fast charger 220V (14.4V - 18V) (1.1Ah only)	Li-Ion slide type (Maktec)	EA	195355-7
DC18WA	60min Li-Ion G-type charger 220V (14.4V - 18V) (1.1Ah only)	All G-type batteries	EA	195423-6
DC18RC	Li-Ion fast charger - 15min for 1.3 - 1.5Ah 22min for 3.0Ah / 36min for 4.0Ah	14.4V-18V Li-Ion (slide type batteries)	EA	195584-2
DC18RD	2-Port Li-Ion multi fast charger	14.4V - 18V (slide type batteries)	EA	196933-6
DC18SE	Li-Ion automotive charger - 30min for 1.3 - 1.5Ah 60min for 3.0Ah / 90min for 4.0Ah	14.4V-18V Li-Ion (slide type batteries)	EA	194621-9
DC36RA	Li-Ion fast charger 36V - 22min	BL3626 only	EA	194863-5
ADP05	18V Li-Ion USB Adaptor (output for charging cell phones or tablets)	1.5Ah - 6Ah Batteries	EA	0865100000

Charging times depend to a large extent on battery condition and/or room temperature.



DC10WA 7.2-10.8V Li-Ion charger 194588-1



DC18WA 14.4-18V Li-Ion charger All G-type batteries 195423-6



DC18RC 14.4-18V Li-Ion charger 195584-2



DC18RD 14.4-18V Li-Ion 2-Port multi fast charger 196933-6



DC18SE 14.4-18V Li-Ion automotive charger 194621-9



DC36RA 36V Li-Ion charger 194863-5



BL1830B Li-Ion 18V 3.0Ah 197599-5



BL1850B Li-Ion 18V 5.0Ah 197280-8



BL1860B Li-Ion 18V 6.0Ah 197422-4



BL3626 Li-Ion 36V 2.6Ah 194873-2



BL7010 - Li-Ion 7.2V 194355-4



BL1013 - Li-Ion 10.8V 194550-6



BL1415G - Li-Ion 14.4V 198192-8



BL1430 - Li-Ion 14.4V 194065-3



ADP05 18V Li-Ion USB Adaptor 0865100000 (Supplied adaptor only)



DC10SA 10.8V Li-Ion charger

Cordless Tool Accessories

General Accessories

Model	Description	U/M	Stock Code
DSS610 / M5802B / DLS551	Guide rule (rip fence)	EA	164095-8
DSS610	Inner flange 40	EA	224397-5
DSS610	Outer flange 40	EA	224282-2
DSS610	Dust nozzle	EA	419283-5
DHP458 / DTW251 / DHP454	Hook (belt)	EA	346317-0
DHP458	Grip	EA	126131-8
DJV180	Ant-splinter device	EA	415524-7
DKP180	Guide rule (rip fence)	EA	165581-2
DUB182	Straight pipe - use with joint 410872-9	EA	412040-0
DUB182	Flexible hose set	EA	191750-9
DUB182	Joint	EA	410872-9
DUB182 / BVC350	Nozzle assembly 220mm (short)	EA	132025-7
DUB182 / DVC350	Nozzle assembly 430mm (long)	EA	134182-7
DUB182	Dust bag	EA	122814-8
DVC350	Dust bag	EA	122918-6
DVC350	Front cuff 38	EA	195545-2
DVC350	Round brush	EA	A-37471
DUB360 / DUB361	Long nozzle 530mm	EA	452123-4
BUC122	Guide bar 16cm	EA	158476-6
BUC122	Chain blade 42 drive links / 1.3mm / .050" gauge	EA	791284-8
BUC122	Chain file 4mm	EA	744003-1
BUH523	Shear blade	EA	195769-0
BFR550 / DFR550	Extension handle	EA	194500-1
BFR550 / DFR550	Drywall collated screws - 3.9 x 42 PH2	1000	1399090200
DCO180	Collet Nut	EA	763675-3
DCO180	Collet cone 3.18mm	EA	763677-9
DCO180	Drywall guide bit 3.18mm	EA	193446-8
DPJ180	Angle guide assembly	EA	123149-0
DPJ180	Dust bag	EA	123150-5
DPJ180	Cutter blade (100mm x 6T x 4mm thick)	EA	B-20644
DPJ180	Lock nut wrench 20	EA	782401-1
DHS680	Dust Nozzle (Joint)	EA	196961-1
DUC302	Guide bar 30cm	EA	165245-8
DUC302	Chain blade	EA	196740-7
DUB183	Garden nozzle	EA	TP00000199
DCL180	Filter	EA	443060-3
DCL180	Pre filter	EA	451208-3
DHR202 / DHR262 / 263	Dust extractor attachment	EA	193472-7
DHR202 / DHR261	Grip 36 complete	EA	158057-6
BPB180	Blade bi-metal. 1140 x 14Tpi x 0.5mm thick (cut 5mm+)	EA	792557-2
DRT50	Trimmer base	EA	196612-6
DRT50	Trimmer guide	EA	122703-7
DRT50	Guide and holder	EA	195564-8
DUR122	Guide Bar	EA	168450-6
DUR122	Chain Blade	EA	791284
DUR400	Guide Bar	EA	165202-6
DUR400	Saw chain set	EA	196208-3



Grip
158057-6



Blade
792557-2




Angle guide assembly
123149-0



Guide bar case
416311-7



BL1860B
197422-4



Guide rule
164095-8



Grip
126131-8




Flexible hose set
191750-9



Dust bag
122814-8



Round brush
A-37471



Chain blade
196740-7

Torch / Job Site Lights Accessories

Model	Description	U/M	Stock Code
ML120 / ML140	Globe	Set of 2	A-83973
ML122/3	Fluorescent tube	EA	A-87367



Globe
A-83973



Saw Blades

Saw Blade Guide by Model

Model	Description	Blade Diameter (mm)	Bore Size (mm)
5143R	Circular saw	355	30
SP6000	Plunge cut Circular saw	165	20
HS7601	Circular saw	190	30
MLT100	Table saw	260	30
5704R	Circular saw	190	30
SG1250 / 1251	Wall chaser	125	22.23
5806B	Circular saw	185	20
4114S	Angle cutter	355	25.4
N5900B	Circular saw	235	30
5903R	Circular saw	235	30
DHS710	Cordless circular saw	190	30
LC1230	Metal cutting saw	305	25.4
LF1000	Flip over saw	260	30
LS0714	Mitre saw	190	30
LS0815L	Mitre saw	216	30
DSS610	Cordless circular saw	165	20
LS1018L	Mitre saw	255	30
DCS551	Cordless metal cutter	150	20
LS1040	Mitre saw	255	25.4
LS1216L	Mitre saw	305	30
4107R	Cutter	180	25 / 25.4
MARTLET 250SB	Table saw	250	30
MARTLET TSC10LP	Table saw	250	16
DHS680	Cordless circular saw	165	20
M5802B	Circular saw	185	30
4131	Metal circular saw	185	30

Circular Saw Blades - Wood Cutting - per EA

Application	Diameter (mm)	Bore (mm)	Teeth	Pitch	Kerf (mm)	Saw Type	Stock Code
Cross cutting	160	20	40	18°	1.6	ATAF circular saw	A-80612
Fast cut ripping	165	20	10	20°	2	FTG circular saw	B-02917
Ripping	165	20	24	20°	1.5	ATAF cordless	A-85101
Cross cutting	165	20	40	18°	1.6	ATAF cordless	A-85226
Smooth cross cut laminates & wood	165	20	52	20°	1.6	ATAF cordless	A-85189
Ripping	185	20	20	25°	1.85	ATB circular saw	A-83814
General purpose	185	20	40	18°	1.6	ATAF circular saw	A-82476
Cross cutting	185	20	40	18°	1.6	Circular saw	A-80628
Fast cut ripping	190	30	12	20°	2.0	Cordless	B-02939
Plastic / wood	190	20	24	-5°	2.0	ATB mitre saw	B-03866
Ripping	190	30	24	20°	2.0	Circular saw	A-87258
Cross cutting	190	30	40	10°	2.0	Cordless	A-87301
Cross Cutting	216	30	40			ATB Circular Saw BL0815	A-86169
Ripping	235	30	20	20°	2.3	Circular saw	A-89866
Combination	235	30	48	18°	1.6	Circular saw	A-81795
Cross cutting	235	25.4	40	25°	2.6	ATB circular saw	A-81468
Cross cutting	235	30	60	15°	2.3	Circular saw	B-12865
Ripping	270	30	18			Circular saw	B-12859



A-80612



Saw Blades

Plunge Cut Circular Saw Blades - per EA

Application	Diameter (mm)	Bore (mm)	Teeth	Pitch	Kerf (mm)	Tooth Shape	Stock Code
For wood - low noise	165	20	28	15°	2.2	ATB (SP6000)	B-07434
For wood - low noise	165	20	48	8°	2.2	ATB (SP6000)	B-07353
For aluminium - low noise	165	20	56	-3	2.4	TCG (SP6000)	B-07440




B-07434




Crosscutting

- More teeth yield a smoother cut across wood grain.
- Smaller gullets prevent too-fast feed rate.



Ripping

- Fewer teeth required when cutting with wood grain.
- Larger gullets allow faster stock removal.



Mitre Saw - Specialised for Non Ferrous & Plastics - per EA

Application	Diameter (mm)	Bore (mm)	Teeth	Pitch	Kerf (mm)	Tooth Shape	Stock Code
Aluminium	190	20	60	-5°	2.0	TCG mitre saw	B-03997
Wood	190	20	24	5°	2.2	ATB mitre saw	B-04298
Aluminium	255	30	80	-5	3.2	Mitre saw	A-02668
Wood cutting	255	25.4	80	15°	2.8	ATAF table saw	A-82286
Aluminium	255	25.4	80	0°	2.6	ATB mitre saw	A-82535
Wood	255	25.4	24	25°	3.2	ATB table saw	A-82024
Wood	255	25.4	32	5°	2.3	ATAF mitre saw	A-83696
Aluminium	260	30	100	5°	3	TCG mitre saw	D-03975
Wood	260	25.4	40		2.3	Mitre saw	JM23100005
Wood	260	30	60	5°	2.3	Table saw	D-46408
Wood	305	30	60	10°	2.6	Mitre saw	B-03822
Wood (low noise)	305	30	70	0°	2.5	Mitre saw	B-04606
Non ferrous	305	30	80	-5°	2.3	Mitre saw	B-04173
Wood	355	30	20	27°	3	Mitre saw	A-80014



A-82535

Saw Blades - Metal Cutting - 4131 / 4130 / DCS551 Metal Saw - per EA

Application	Diameter (mm)	Bore (mm)	Teeth	Pitch	Kerf (mm)		Stock Code
Mild steel	150	20	32	0	1.5	No resharpen	B-46296
Thin sheet metal	150	20	52	-15	1.4	No resharpen	B-47008
Stainless / mild steel	150	20	60	0	1.1	No resharpen	B-47014
Aluminium	150	20	52	0	1.6	No resharpen	B-47020
Mild steel - 2-6mm	185	30	36	0	1.9	No resharpen	B-03931
Mild steel - 3-6mm	185	20	38	0	2.0	No resharpen	A-85438
Mild steel - 2mm	185	20	48	0	2.0	No resharpen	A-83967
Corrugated steel plate	185	20	70	-10	1.7	No resharpen	A-86446



B-03931

Specialised Saw Blades - Metal Cutting - LC1230 & LC1200 - per EA

Application	Diameter (mm)	Bore (mm)	Teeth	Pitch	Kerf (mm)		Stock Code
Mild steel	305	25.4	60	0	2.5	No resharpen	A-81860
Mild steel	305	25.4	60	0	2.1	No resharpen	A-87242
Mild steel	305	25.4	60	0	2.4	No resharpen	A-86723
Thin mild steel	305	25.4	78	0	2.3	No resharpen	A-87127
Stainless / mild steel	305	25.4	100	-3	1.95	No resharpen	B-23151



A-81860

Refer to page 16 for cutting applications

Saw Blades

Carbide - Tipped Metal Blades for many applications


			Angle		Tubing		Channel		Round Pipe	Stainless Angle	Stainless Tubing
Size (mm)	Tip Thickness	Part No.	5mm	4mm	3mm	4,5mm	2,3mm	3,2mm	3,8mm	4mm	1,5mm
305 x 60T (mild steel)	2,1mm	A-87242	○	○	○	▲	×				
305 x 60T (mild steel)	2,5mm	A-81860	○	○	●	○	×				
305 x 60T (mild steel, lesser noise)	2,4mm	A-86723	●	●	●	○	×				
305 x 78T (thin steel)	2,3mm	A-87127	▲	▲	▲	×	○				
305 x 76T (stainless)	1,95mm	A-87579	○	○	▲	×	●				

Carbide-Tipped Metal Blade Cutting Tips

- Always wear safety glasses, gloves, protective equipment and follow instructions provided with power tool
- Do not apply excessive pressure on the handle when cutting as damage to the carbide-tips can be a result
- Too little or too much pressure on the handle may result in more sparks and premature blade wear
- Use block spacers when cutting square/rectangular tubing as well as channel and UNISTRUT™ for longer blade life
- When cutting long pieces of metal always use support blocks on both sides so the metal will be level with the saw base
- Do not touch blade or metal immediately after cut

Carbide-Tipped Metal Blade Cutting Process

1. Ensure metal is properly placed on saw base and firmly secured in the saw
2. Hold the saw handle firmly and wait until full speed is obtained
3. Lower the handle gently to bring the blade close to the metal
4. Gently ease the blade into the metal and add minimal pressure (reduce pressure if sparks appear)
5. After completed cut, turn off power tool and wait until blade has come to a complete stop then raise the handle back (if handle is raised back with blade still rotating then the blade may be caught)

Applications	Square & Rectangular Tubing				Round Pipe			Square & Rectangular Tubing		Round Pipe	
The height of material	Up to 75mm				Up to 100mm		-	Up to 85mm		-	
	A	B	A	B	A	B		A	B	A	B
	25	125	25	75	25	90		25	60	25	65
	50	100	50	50	50	65		50	35	50	40
	75	75	75	25	75	40		75	10	75	15
	100	50	100	0	100	15		85	0	90	0
	125	25	-	-	115	0		-	-	-	-
	*150	0	-	-	-	-		-	-	-	-

* Hint: Block spacer should be determined by subtracting the metal width from 150mm

Economy Blades Circular Saw Blades Martlet - per EA

Application	Diameter	Bore	Teeth	Saw Type	Stock Code
Cross cutting	160mm	16 / 20 / 25 / 30mm	40	Circular	1390090010
Ripping	185mm	16 / 20 / 25 / 30mm	20	Circular	1390090020
Cross cutting	185mm	16 / 20 / 25 / 30mm	40	Circular	1390090030
Ripping	235mm	16 / 20 / 25 / 30mm	20	Circular	1390090040
Combination	235mm	16 / 20 / 25 / 30mm	40	Circular	1390090050
Cross cutting	235mm	16 / 20 / 25 / 30mm	60	Circular	1390090060
Veneers & laminates	235mm	30mm	80	Circular	1390090061
Combination	250mm	16mm	40	TSC10L	1390090080
Ripping	250mm	16mm	28	TSC10L	1390090090
Cross cutting	255mm	16 / 20 / 25 / 30mm	80	Circular	1390090070



Cross cutting saw blade



Ripping saw blade

Circular / Mitre / Table / Band Saw Accessories

Circular Saws

Model	Description	U/M	Stock Code
5704R / DSS610 / MT582 / M5802B DCS551 / 4131 / HS7601	Guide rule	EA	164095-8
5704R	Joint	EA	192420-3
N5900B	Guide rule	EA	164367-1
5903R	Guide rule	EA	165084-6
MT582 / M5802B	Dust nozzle	EA	452091-1



Mitre Saws

Model	Description	U/M	Stock Code
LS0714 / LS1040	Holder set (holder & thumb screw)	Set	192621-3
LS0714 / DLS714	Vertical vice assembly	EA	122571-8
LS1040	Vertical vice assembly	EA	122536-0
LS1216L	Vertical vice assembly	EA	122854-6
LS1040 / LS0714 / LS1216L / LF1000	Dust nozzle	EA	419277-0
MT230	Dust nozzle	EA	JM23000178
LS1018L	Extension wing	EA	JM23100500
LS1018L	Dust bag	EA	JM23100501
LS1018L	Vertical vice assembly	EA	JM23100502
LS1018L	Rip fence assembly	EA	JM23200037
LS1018L	Dust port	EA	JM23100117
LS0714 / LS1040 / LS1013 / LS1214 / LF1000 / MT230 / LS1216L	Dust bag assembly	EA	122852-0
MT230	Vice assembly	EA	JM23000131
Makita universal stand	Mitre saw stand (for all mitre saws and 2012NB thicknesser)	EA	194043-3
Makita universal stand	Mitre saw stand (for all mitre saws and 2012NB thicknesser)	EA	WST06




Circular / Mitre / Table / Band Saw Accessories

Table Saws

Model	Description	U/M	Stock Code
MLT100	Rip fence assembly	EA	JM27000202
MLT100	Mitre gauge assembly	EA	JM27000224
MLT100	Stand for table saw (WST03)	EA	JM27000300



Rip fence assembly
JM27000202



Mitre gauge assembly
JM27000224



Stand
JM27000300

Flip Over Saw

Model	Description	U/M	Stock Code
LF1000	Vice assembly	EA	122728-1
LF1000	Rip fence assembly	EA	122729-9
LF1000	Dust nozzle	EA	419277-0
LF1000	Elbow for dust nozzle assembly / use with dust nozzle 419277-0	EA	416368-8
LF1000	Dust bag	EA	122852-0
LF1000	Mitre gauge	EA	122730-4



Vice assembly
122728-1



Rip fence assembly
122729-9

Band Saw General Accessories

Model	Description	U/M	Stock Code
LB1200F	Rip fence assembly	EA	JM21080230
LB1200F	Mitre gauge assembly	EA	JM21080260
LB1200F	Circular cutting attachment	EA	JM21000320
LB1200F	Belt sanding attachment	EA	JM21000330



Rip fence assembly
JM21080230



Mitre gauge assembly
JM21080260



Circular cutting attachment
JM21000320

Circular / Mitre / Table / Band Saw Accessories

Band Saw Blades - Makita LB1200F & Martlet MJ343 - per EA

Model	Application	Blade Length	Width	Teeth	Saw Type	Stock Code
Makita LB1200F	Curved cutting wood	2240mm	6mm		C/steel	JM21080294
Makita LB1200F	General wood	2240mm	13mm	4	C/steel	JM21080295
Makita LB1200F	General thick wood	2240mm	16mm	4	C/steel	JM21080296
Makita LB1200F	General thick wood	2240mm	16mm	4	C/steel	JM21080297
Martlet MJ-343B	General thick wood	2400mm	13mm	4	C/steel	1300431102
Martlet MJ-343B	Medium thick wood	2400mm	13mm	6	C/steel	1300431103
Martlet MJ-343B	Curve wood cutting	2400mm	6mm	6	C/steel	1300431104
Martlet MJ-343B	Steel & non ferrous	2400mm	13mm	8	Bim	1300431106



Various band saw blades

Plunge Cut Circular Saw Accessories

Model	Description	Application	Length	U/M	Stock Code
SP6000	Guide rail	Use with SP6000 to cut 1.4m sheeting	1.4m	EA	194368-5
SP6000	Guide rail	Use with SP6000 to cut 3m sheeting	3.0m	EA	194367-7
SP6000	Guide rail position seat 1400	Splinter guard replacement. Helps prevent splitting of work material	1.4m	EA	194418-6
SP6000	Guide rail position seat 3000	Splinter guard replacement. Helps prevent splitting of work material	3.0m	EA	194419-4
SP6000	Seat 10000 set blue	Replacement vinyl seat for guide rail. Allows SP6000 to slide smoothly during operation	10m	EA	194416-0
SP6000	Foam rubber seat	Bottom of rail - non slip rubber replacement strip	10m	EA	194417-8
SP6000	Outer flange 35			EA	224405-2
SP6000	Inner flange 35			EA	224406-0
SP6000	Dust nozzle			EA	419620-3
SP6000	Connector	Guide rail connector		EA	P-20177
SP6000	Clamp set	Use with guide rail		Set of 2	194385-5
Various	Jig	Jig saw adaptor			193517-1
SP6000	Adjustable bevel guide set	Rests against edge of material & pivots entire guide rail for quick & accurate setting & cutting of angles		EA	194433-0
SP6000	Rip fence	Guide rule		EA	165447-6
Various	Router	Router adaptor			194579-2
SP6000	Joint adaptor			EA	198885-7



Clamp set
194385-5



Adjustable bevel guide set
194433-0



Router adaptor
194579-2

Cut-Off Saw Abrasive Discs & Accessories

Cut-Off Saws


Model	Description	U/M	Stock Code
2414EN / 2414NB / MT240 / MT242 / M2401B	All ferrous metals (steel, cast iron) & other hard metals - 355 x 3 x 25.4mm #A36P	EA	A-05044
MOD16	All ferrous metals (steel, cast iron) & other hard metals - 405 x 3 x 25.4mm #A36P	EA	A-05050
2414EN / 2414NB / MT240 / MT242 (with expiry date)	All ferrous metals (steel, cast iron) & other hard metals - 355 x 3 x 25.4mm #A30R	EA	B-20753-25



A-05044

Wrenches for Portable Cut-Off Saws

Model	Description	U/M	Stock Code
Maktec MT240 / MT242 / M2401B	Box wrench 17	EA	782228-9
Makita 2414EN / 2414NB	Socket wrench 17	EA	782210-8



Socket wrench
782210-8

Drill Chucks, Keys and General Drill Accessories

Model	Description	Size	U/M	Stock Code
MT651 / M6501B	Geared chuck 6.5mm - 3/8" - 24UNF - w/out key	6.5mm	EA	763170-3
MT651 / M6501B	Chuck key S6	6.5mm	EA	763442-6
6501 / DP2010	Geared chuck - 3/8" - 24UNF - w/out key	6.5mm	EA	763077-3
6501 / DP2010	Chuck key for above & all 10mm cordless drill chucks	6.5mm	EA	763418-3



MT651
Geared Chuck
763170-3



MT651
Chuck key
763442-6



6501 / DP2010
Geared chuck
763077-3



Chuck key
763418-3

Model	Description	Size	U/M	Stock Code
6411 / MT600	Chuck key S10	10mm	EA	763444-2
6411 / MT600	Drill chuck S10 w/out key	10mm	EA	763173-7
Universal	Chuck + key Multicraft 3/8" x 24UNF 0.8 - 10mm	10mm	EA	317255
Universal	Chuck key for above (S2)	10mm	EA	26412
DA3010F / DDA350	Drill chuck S10 w/out key	10mm	EA	763174-5
Heavy duty	Chuck key for (S10) Makita	10mm	EA	763415-9
NHP1030	Chuck only (original Makita) (S10) 3/8" x 24 UNF	10mm	EA	763067-6
NHP1030	Chuck key (S10)	10mm	EA	763414-1
6408 / DA392D / 6410	Keyless drill chuck	10mm	EA	192016-0
MT064SK2 / M6002B	Keyless drill chuck	10mm	EA	763181-8
MT061 / M6002B	Keyless drill chuck	10mm	EA	763180-0
6408	Keyless drill chuck	10mm	EA	763154-1
1/4" Impact drivers	Keyless drill chuck 1.5 - 10mm capacity with connect bit NZ 6.35 - 48	10mm	EA	192121-3
Cordless drills	Keyless drill chuck	10mm	EA	193601-2
8281D	Keyless drill chuck	10mm	EA	766003-1



6411 / MT600
763444-2
10mm



6411 / MT600
763173-7
10mm



Universal
317255
10mm



Universal
26412
10mm



DA3010F / BDA350
763174-5
10mm



Heavy duty
763415-9
10mm



NHP1030
763067-6
10mm



NHP1030
763414-1
10mm



6408 / DA392D
192016-0
10mm



MT064SK2
763181-8
10mm



MT061
763180-0
10mm



6408
763154-1
10mm



1/4" Impact drivers
192121-3
10mm



Cordless drills
193601-2
10mm




8281D
766003-1
10mm

Drill Chucks, Keys and General Drill Accessories

Model	Description	Size	U/M	Stock Code
DP4002	Drill chuck S13 w/out key	13mm	EA	763145-2
DP4002	Drill chuck key	13mm	EA	763434-5
HP1620 / HP1640	Drill chuck w/out key	13mm	EA	763142-8
HP1620	Chuck key for above - Makita S13	13mm	EA	763440-0
MT811 / M8100B / HP1630	Drill chuck S13 w/out key (26412)	13mm	EA	763161-4
Universal	Chuck + key Super Craft 1/2" x 20UNF 1.5 - 13mm	13mm	EA	61673
6300-4 / 8406/ HP2010N / HP2020 / 6013BR	Chuck only original Makita 1/2 x 20UNF	13mm	EA	192877-8
6300-4 / 8406/ HP2010N / HP2020 / 6013BR	Chuck key for above - Makita S13	13mm	EA	763432-9
HP2050 / HP2070 / DS492	Chuck key S13	13mm	EA	763430-3
HP2050 / HP2070	Drill chuck & key	13mm	EA	193067-6
HP2070 / HP2070	Chuck	13mm	EA	193822-6
BHP452	Keyless drill chuck	13mm	EA	763175-3
BDF541 / BDF454 / BHP454	Keyless drill chuck	13mm	EA	763196-5
MT815 / M8101B	Keyless drill chuck	13mm	EA	196564-1
All 13mm models	Keyless chuck hand-tight	13mm	EA	194254-0
8444D / BHP454	Keyless drill chuck	13mm	EA	763199-9



763145-2
13mm



763434-5
13mm



763142-8
13mm



763440-0
13mm



763161-4
13mm



Universal
61673
13mm



192877-8
13mm



763432-9
13mm



763430-3
13mm



193067-6
13mm



193822-6
13mm



763175-3
13mm



763196-5
13mm



193616-9
13mm



196564-1
13mm



194254-0
13mm



763199-9
13mm

Drill Chucks, Keys and General Drill Accessories

Model	Application	Size	U/M	Stock Code
6300/4	Chuck only original Makita S16 1/2" x 20UNF use with S13 chuck key - sold separately	16mm	EA	763066-8
	S13 chuck key	13mm	EA	763432-9
	Fits all martlet drill presses - Arbor	16mm	EA	MAR255AN-67
	No 2 morse fits all martlet drill presses	16mm	EA	MAR380AN-91
	No 2 morse fits all martlet drill presses - chuck key	13mm	EA	MAR430FN-92



6300/4
763066-8
16mm



MAR255AN-67 Arbor
16mm



MAR380AN-91
16mm

MAR430FN-92
13mm

Model	Application	Size	U/M	Stock Code
HR2450T / HR2470T	Quick change drill chuck (straight shank bits)	UNI	EA	194079-2
HR2450T / HR2470T	SDS + Tool holder set	UNI	EA	194080-7
	20 x UNF Universal chuck adapter with screw fits any SDS+ rotary hammer	UNI	EA	D-14093



194079-2
HR2450T / 2470T
Keyless chuck



194080-7
HR2450T / 2470T
SDS+ Bit holder



D-14093
Universal
Chuck holder

Grips / Handles for Drills and Rotary Hammers

Grips

Model	Description	U/M	Stock Code
MT813 / MT814 / MT815 / MT811 M8101B / M8100B	Grip base Hex bolt M8 x 110 Grip 36	EA EA	417822-5 265495-6 152489-9
BHP454 / DHP454	Grip assembly	EA	122822-9
HP1640 / HP1620 / HP1630 / HP2050	Grip base Hex bolt M8 x 120	EA	417630-4 265583-9
HP1640 / HP1620 / HP1630 / HP2050	Grip 36	EA	152489-9
DP4003 / DP4002	Grip base Hex bolt M8 x 195	EA	317401-8 266265-6
DP4003 / DP4002	Grip 36	EA	152668-9
BHR202 / DHR202 / BHR262 / HR2230 / HR2460 / HR2470/T / HR2475 / HR2810	Grip base Hex bolt M8 x 120	EA	417630-4 921923-8
BHR202 / DHR202 / BHR262 / HR2230 / HR2460 / HR2470/T / HR2475 / HR2810	Rubberized grip	EA	158057-6
HP2050 / HP2051 / HP2070 / HR2022 / HR2455 / HR2470T / HR2440 / HR2450 HR2455	Grip assembly with grip base	EA	135302-6
HP2020 / HP2010N	Grip assembly with grip base	EA	122428-3
HR2300 / HR2600 / HR2610	Grip	EA	152489-9
HR3200C / HR3210C	Grip assembly with grip base	EA	135197-7
HM0870C / HR4002 / HR5211C	Grip assembly with grip base	EA	135332-7
HM0860C / HM0870C /	Side handle assembly	EA	134909-5
HM1202C / HR5211C / HM1203C	Side handle 82 assembly	EA	135269-8
HR4002 / HR4011C	Side handle 68 assembly	EA	134890-0
HR5212C	Side handle 90 assembly	EA	135283-4
HR5211C / HR4003C	Grip	EA	158131-0



Grip 36
152489-9



Rubberised grip
158057-6

* } Sold individually



122822-9



135302-6



122428-3



135332-7



135269-8 / 135283-4

Diamond Wheels

Material for Diamond Blades

Segmented type: Blade has slits and a layer of diamond is sintered on the edges. Cut faster than continuous rim type and attain average cutting surface.

Segmented wave type: This wheel has slits like segmented wheel. Each segment has many notches (wave). These notches assure fast cutting with less resistance and less loading on the wheel.


Continuous rim type: Has a layer of diamond with uniform thickness around the entire rim. Can attain clean surface even on crusty, brittle materials. Cuts with accuracy but not as fast as segmented type wheel.

Material for Diamond Blades - Key


1	Hard concrete, granite, smoothable engineering block, carbonaceous shale, paving slate, engineering block class 2
2	Concrete, block, U-shape groove, paving block, cemented tile
3	Marble, unglazed tile
4	Brick, aggregated block, french tile
5	Asphalt
6	Tile
7	Glass



Segmented Type



Segmented Wave Type



Continuous Rim Type

Diamond Wheels for Cordless Specialised

Model	Application	Diameter (mm)	Bore (mm)	Type		U/M	Stock Code
4190DW / CC300DW / CC301	Silver - 3, 4, 6, 7	85	15	Wet	Continuous rim	EA	A-01323
4107R	Gold - 1, 2, 3, 4, 5, 6 ★★ ★	180	25	Wet	Continuous rim (high grade)	EA	792191-8
4107R	Gold - 1, 2, 3, 4, 5, 6 ★	180	25.4	Wet	Continuous rim (econo grade)	EA	A-87161
4157KB	Blue - 2, 3, 4, 5	180	22.23	Dry	Corrugated (econo grade)	EA	A-87600



A-01323



792191-8



A-87600

Diamond Wheels for Angle Grinders / Concrete Planers / Wall Chaser

Model	Application	Diameter (mm)	Bore (mm)	Type		U/M	Stock Code
Makita	Gold - 2, 3, 4, 5 ★★	230	22.23	Dry	Segmented	EA	A-84137
PC5001C 125mm Grinders	Gold - 1, 2, 3, 4, 5, fine finishing	125	22.23	Dry	Off set	EA	B-12289
SG1250 / 51 125mm Grinders	Gold - 1, 2, 3, 4, 5 ★★ ★	125	22.23	Dry	Segmented wave (high grade)	EA	B-02054
SG1250 / 51 125mm Grinders	Blue - 2, 3, 4, 5	125	22.23	Dry	Segmented	EA	A-80438



B-02054



A-84137



B-12289



A-80438

Jig Saw Blades

Teeth Type



Milled and side set teeth



Ground and side set teeth



Milled and wavy set teeth




Ground and tapered ground teeth

Teeth Manufacture



Milled teeth:


- Low cost type of manufacturing
- For general cutting
- Soft to hard materials
- Long blade life



Ground teeth:

- Costly type of manufacturing
- Very sharp
- Accurate, clean cut
- Soft to medium hard materials

Production Method



Side set: each individual tooth is alternately bend to the left and to the right. Raker setting eg. right, left, straight, etc.

Wavy set: row of teeth receives a wave shape

Ground: blade body tapers to the rear (conical)

Blade Material

- **HCS (High Carbon Steel)** for cutting softer material such as wood or plastics
- **HSS (High Speed Steel)** for cutting harder materials such as metals
- **BIM (Bi-metal, HCS base and HSS teeth)** for cutting soft materials to hard materials such as wood, metal, plastics
- **TC (Tungsten Carbide)** for cutting glass fibre reinforced plastic, cement-bonded fibre boards or plasterboard

TPI (Teeth Per Inch)

- **High TPI rating:** a blade with 20 or more TPI cuts smoothly and slowly, making it ideal for finished
- **Medium TPI rating:** 12 - 16 TPI offers a good compromise between smoothness and speed
- **Low TPI rating:** a blade with 6 - 10 TPI cuts very quickly but leaves a rough edge

Cutting Hard and Soft Materials with a Jig Saw

This process involves more than just turning the jigsaw on and simply cutting. Harder materials such as metal need to be cut slowly, while softer materials (including many varieties of wood) can be cut faster. It is therefore, important and worth it to choose the correct blade to match the material you need to cut and how you wish to cut it. There are a variety of blades available and by selecting the correct one for your specific application you will potentially avoid bent or broken blades, a poor cutting result or even damage to your jig saw.

Cutting Hints

The choice of Orbital / Pendulum cutting action versus Straight cutting action is dependent on the material to be cut and will also affect blade and tool life as well as the quality of cut.

Type of Cutting



Straight Cutting



Curved Cutting

Makita Jig Saw Blades for Models 4300BA/BV / 4301SV / 4320 / 4322 / 4323 / 4326 / 4327 / MT430 (Most Other Brands)

Blade No.	Application	Wood / Plywood (mm)	Plastic (mm)	Aluminium (mm)	Stainless Steel (mm)	Mild Steel (mm)	Work Length (mm)	TPI (mm)	Material of Blade	Type of cutting	U/M	Stock Code
1	Mild steel. Ideal for corrugated & tough plastics	-	1,6	1,3	0,5 - 3	1 - 3	60	24	HSS		5	A-85802
2	Decorative veneers	3 - 50	3 - 50	2 - 6	-	2 - 6	60	14	HSS		5	A-85852
3	General cutting	3 - 50	3 - 50	-	-	-	60	9	HCS		5	A-85868
4	Hardwood, thick mild steel plate and tough plastics	3 - 50	3 - 50	3 - 6	-	3 - 6	60	9	HSS		5	A-85874
10	Fast finish work, especially suitable for plywood	4 - 50	4 - 50	-	-	-	60	9	HCS		5	A-85818
10S	Splinter-free cuts in wood, requiring no sanding	3 - 50	-	-	-	-	62	13	HCS		5	A-85824

Jig Saw Blades

Makita Jig Saw Blades for Models 4320 / 4300BA/BV / 4301SV / 4322 / 4323 / 4326 / 4327 / MT430 (Most Other Brands)

Blade No.	Application	Wood / Plywood (mm)	Plastic (mm)	Aluminium (mm)	Stainless Steel (mm)	Mild Steel (mm)	Work Length (mm)	TPI (mm)	Material of Blade	Type of cutting	U/M	Stock Code
BR-3	Splinter-free cuts in wood, requiring no sanding	4 - 50	-	-	-	-	60	9	HCS		5	A-02288
												
17	Scroll cuts in plywood, MDF & laminates	2 - 50	2 - 50	2 - 6	-	2 - 6	63	14	HSS		5	A-85846
												

Universal Fitting - Bayonet for Models JV180ZK / DJV182ZK / JV0600ZK / 4329K / 4350FCT / 4351FCT / MT430 / MT431 / M4301B (Most Other Brands)

Blade No.	Application	Wood / plywood (mm)	Plastic (mm)	Aluminium (mm)	Stainless Steel (mm)	Mild Steel (mm)	Work Length (mm)	TPI (mm)	Material of Blade	Type of cutting	U/M	Stock Code
51	Mild steel	-	1.5 - 6	1.5 - 6	1 - 3	1 - 3	65	24	HSS		5	A-86561
												
58	Fast cutting	4 - 65	4 - 65	-	-	-	75	8	HCS		5	A-86577
												
59	Fast finish work	4 - 65	4 - 65	-	-	-	75	8	HCS		5	A-86583
												
B-16	Fast and rough cutting	5 - 65	5 - 65	-	-	-	75	6	HCS		5	A-85684
												
B-16L	For fast and rough cutting	5 - 135	5 - 135	-	-	-	150mm	6	HCS		5	792726-5
												
B-17	Fast and scroll cutting	5 - 60	5 - 60	-	-	-	70	6	HCS		5	A-85690
												
B-19	Tough plastic & decorative veneers	3 - 50	3 - 50	-	-	-	65	12	HCS		5	A-85715
												
B-22	For mild steel, tough plastics. Especially for thin metal plate	-	1 - 6	1 - 3	1 - 3	1 - 3	50	24	HSS		5	A-85737
												
B-23	For decorative veneers, medium thick metal plate.	3 - 35	3 - 35	2 - 6	-	2 - 6	50	14	HSS		5	A-85743
												
B-24	For very thin metal plate	-	1 - 3	1 - 2	0.5 - 2	0.5 - 2	50	32	HSS		5	A-85759
												

Jig Saw Blades

Universal Fitting - Bayonet for Models DJV180ZK / DJV182ZK / JV0600ZK / 4329K / 4350FCT / 4351FCT / M4301B (Most Other Brands)

Blade No.	Application	Wood / plywood (mm)	Plastic (mm)	Aluminium (mm)	Stainless Steel (mm)	Mild Steel (mm)	Work Length (mm)	TPI (mm)	Material of Blade	Type of cutting	U/M	Stock Code
B-26	Scrolling in hardwoods and for hard plastics	3 - 60	3 - 60	3 - 10	-	3 - 10	70	9	HSS		5	A-85771
B-29	For scroll cutting	2 - 35	2 - 35	-	-	-	42	16	HCS		5	A-80400
BR-13	Splinter-free cuts in wood requiring no sanding	5 - 65	-	-	-	-	64	9	HCS		5	A-85793
B60	Fibre cement / plaster board. 5 - 50FRP / plastic 5 - 50	-	-	-	-	-	75	6	TC/HM		3	B-06890
B61	Fibre cement / plaster board. 5 - 80FRP / plastic 5 - 50	-	-	-	-	-	105	6	TC/HM		3	B-06909

Mixed Jig Saw Blades Sets (5 Assorted Blades Per Pack)

Blade No.	Application	Wood / plywood (mm)	Plastic (mm)	Aluminium (mm)	Stainless Steel (mm)	Mild Steel (mm)	Work Length (mm)	TPI (mm)	Material of Blade	Type of cutting	U/M	Stock Code
	Splinter-free cuts in wood, requiring no sanding	3 - 50	-	-	-	-	65	13	HCS		1PK	A-86898
B-13	For general cutting	4 - 65	4 - 65	-	-	-	70	8	HCS			
B-16	For fast rough cutting	5 - 65	5 - 65	-	-	-	75	6	HCS			
B-22	For mild steel, tough plastics. Especially for thin metal plate	-	1 - 6	1 - 3	1 - 3	1 - 3	50	24	HSS			
B-23	For decorative veneers, medium thick metal plate	3 - 35	3 - 35	2 - 6	-	2 - 6	50	14	HSS			

Jig Saw Blades

Super Express Jig Saw Blades (5 Blades Per Pack)

Blade No.	Application	Wood / plywood (mm)	Plastic (mm)	Aluminium (mm)	Stainless Steel (mm)	Mild Steel (mm)	Work Length (mm)	TPI (mm)	Material of Blade	Type of cutting	U/M	Stock Code
B-50	For fast finish work in wood and plastic	5 - 50	5 - 50	-	-	-	77	8.5 - 10.6	HCS		1	B-06460
B-51	Fast cut for mild steel & stainless steel	-	-	-	1 - 3	1 - 8	77	9.8 - 18.1	HSS		1	B-06476
B-52	Fast cut for universal materials	5 - 50	5 - 50	3 - 35	3 - 5	3 - 8	77	5.5 - 9.8	HSS		1	B-06482

Mixed Pack Super Express Jig Saw Blades (3 Blades Per Pack)

Blade No.	Application	Wood / plywood (mm)	Plastic (mm)	Aluminium (mm)	Stainless Steel (mm)	Mild Steel (mm)	Work Length (mm)	TPI (mm)	Material of Blade	Type of cutting	U/M	Stock Code
B-50	For fast finish work in wood and plastic	5 - 50	5 - 50	-	-	-	77	8.5 - 10.6	HCS		1PK	B-06292
B-51	Fast cut for mild steel & stainless steel	-	-	-	1 - 3	1 - 8	77	9.8 - 18.1	HSS			
B-52	Fast cut for universal materials	5 - 50	5 - 50	3 - 35	3 - 5	3 - 8	77	5.5 - 9.8	HSS			


Recipro Saw Blades

Super Express Recipro Saw Blades for Wood / Metal / Plastic - for Models DJR181 / DJR186 / DJR187 / JR3070CT / M4501KB (Most Other Brands)

Blade No.	Applications and Thickness of Work-piece to be Cut	Full Length (mm)	TPI (mm)	Material of Blade	U/M	Stock Code
-	Fast cut for metal (Iron/steel 1.5 - 8.0mm, Plastic 5 - 77mm)	152	7 - 18	Bi-Metal	5	B-05038
-	Fast cut for non ferrous metal, aluminium, plastics, wood with nails & steel (Iron/steel 5 - 8mm, plastic 5 - 77mm, wood 5 - 77mm)	152	6 - 11	Bi-Metal	5	B-05044
-	Fast cut for wood	203	6 - 10	HCS	5	B-05153

Recipro Saw Blades

Basic Recipro Saw Blades for Metal

Blade No.	Applications and Thickness of Work-piece to be Cut	Full Length (mm)	TPI (mm)	Material of Blade	U/M	Stock Code
21	For steel plate 1.5mm - 3mm. For iron pipe 50mm diameter or less	125	24	HSS	5	792146-3
						
22	For steel plate, aluminium 3.0mm - 5.0mm. For iron pipe 90mm diameter or less	165	18	HSS	5	792147-1
						
24	For steel plate 1.5mm - 3mm. For iron pipe 90mm diameter or less	165	24	HSS	5	792149-7
						
-	For thin metal 1.5mm - 4mm. For iron pipe 100mm diameter or less	152	18	Bi-Metal	5	B-05169
						


Recipro Saw Blades for Steel Metal

Blade No.	Applications and Thickness of Work-piece to be Cut	Full Length (mm)	TPI (mm)	Material of Blade	U/M	Stock Code
-	Thick sheet metal 2-10mm, pipe <175mm (fine cut)	225	10 - 14	Bi-Metal	5	B-43197
						

Basic Recipro Saw Blades for Wood

Blade No.	Applications and Thickness of Work-piece to be Cut	Full Length (mm)	TPI (mm)	Material of Blade	U/M	Stock Code
23	Wood cutting 5mm - 90mm	165	9	HCS	5	792148-9
						
3023	For thick wood 5mm - 190mm	250	10	HCS	5	B-00767
3030	For rough work on thick wood 10mm - 250mm	300	6	HCS	5	B-03030
						


Recipro Saw Blade for Wood with Nails

Blade No.	Applications and Thickness of Work-piece to be Cut	Full Length (mm)	TPI (mm)	Material of Blade	U/M	Stock Code
-	For wood with nails 10 - 100mm, glass fibre 8 - 50mm	152	6	Bi-Metal	5	B-05175
						
-	For wood with nail 10.0 - 50.0mm	100	6	Bi-Metal	5	B-20432
						
-	For thin metal 1.5 - 4.0mm	100	18	Bi-Metal	5	B-20404
						

Recipro Saw Blades

Special Purpose Recipro Saw Blades

Blade No.	Applications and Thickness of Work-piece to be Cut	Full Length (mm)	TPI (mm)	Material of Blade	U/M	Stock Code
-	For stainless steel plate 2 - 4mm, stainless steel pipe 80mm diameter or less, fibre glass	152	-	TC/HM	2	B-07250



Jig Saw Accessories

Jig Saw Accessories

Model	Description	U/M	Stock Code
4324 / 4329 / 4326 / JV0600 / 4327	Guide rule & circular guide set	EA	192732-4
4329 / 4350FCT / 4351FCT / DJV180 / JV0600 / 4327 / DJV182	Cover plate	EA	417852-6
MT430 / MT431 / M4301B	Hex wrench 3mm	EA	783201-2
4304 / 4305 / 4350FCT / 4351FCT / BJV180	Anti splinter plate	EA	415524-7
4340CT / 4340FCT / 4341FCT / 4350FCT / 4351FCT / DJV180	Guide rule & circular guide set	EA	193516-3
4350FCT / 4351FCT / DJV180 / DJV182	Guide rail 1.4m	EA	194368-5
4350FCT / 4351FCT / DJV180 / DJV182	Guide rail 3.0m	EA	194367-7
4350FCT / 4351FCT / DJV180 / DJV182	Guide rail adaptor	EA	193517-1
DJV180 / 4350FCT / 4351FCT	Vacuum head	EA	417853-4
DJV182	Vacuum head	EA	126331-0



Cover plate
417852-6



Anti splinter plate
415524-7




Guide rule & circular
guide set
193516-3



Guide rail adaptor
193517-1



Vacuum head
417853-4



Guide rail 1.4m
194368-5

Nibbler / Shear Accessories




JS3201 Shear - Protector above blades, prevents cut material snagging the motor housing and improves operator safety.

Electric Shears work like a pair of scissors that slice the metal. There is a relatively clean cut with little material waste, but a high degree of material distortion on one side of the material.



JN3201 - Robust design with elastomer coated handle provides easy operation.

Electric Nibbler makes its cuts with a die that punches a series of holes (crescents) in the material. The cut is less clean and there is more material waste but the result is less material distortion.




Model JN3200 & JN3201 - To keep clearance of 3.5 to 4.0mm, use a washer or two under the die when installing a resharpened die.

Shear Accessories

Model	Description	U/M	Stock Code
JS1600 / JS1602	Shear blade (8 cutting edges per blade)	2 pcs / set	191383-0
JS1601 / JS1660 / DJS161	Side blade	2 pcs / set	792533-6
JS3200 / JS3201	Shear blade	EA	792287-5
JS1660 / JS1601 / DJS161	Thickness gauge - for setting shear blades at proper gap	EA	762013-6
JS1601 / JS1660 / DJS161	Centre blade	EA	792534-4



Thickness gauge
762013-6




Shear blades
792287-5



Shear blades
191383-0



Centre blade
792534-4



Side blades
792533-6

Nibbler Accessories

Model	Description	U/M	Stock Code
JN1601 / DJN161	Punch	EA	A-83951
JN3200 / JN3201	Punch	EA	792728-1
JN1601 / DJN161	Die	EA	A-15051
JN3200 / JN3201	Die	EA	792292-2



Punch
A-83951



Punch
792728-1



Die
A-15051



Die
792292-2

Planer Accessories

Planer Blades

Model	Description	U/M	Stock Code
All 82mm planers	Planer blade set - HSS	EA	A-83571
All 82mm planers	Planer blade set - mini TC	EA	D-07945
All 82mm planers	Set plate for mini TC blades	SET	343433-9
All 82mm planers	Blade gauge (to set the correct blade depth)	EA	123062-2
2012NB	Planer blades - reversible HSS 305mm (disposable)	EA	793346-8
2012NB	Planer blades - Solid HSS 305mm	EA	793350-7
MT110 / MT111 / MT190 / MT191 / M1901B	Planer blades - TC per set	EA	A-82921



HSS blade set
A-83571



TC blade set
D-07945



Set plate for 82mm planer
343433-9



Blade gauge
123062-2



Planer blades
793350-7

TC (Tungsten Carbide) Higher durability. The blade has edges on both sides for long life.
HSS (High Speed Steel) Fine cutting surface.

Planer Accessories


Model	Description	U/M	Stock Code
2012NB	Magnetic holder	EA	762014-4
2012NB	Set plate - HSS type	EA	343692-5
2012NB	Pan HD screw	EA	911104-2
2012NB	Blade gauge	EA	762016-0
2012NB	Planer stand	EA	194043-3
KP0800 / KP0810 / DKP180	Dust bag assembly	EA	122793-0
KP0800 / KP0810 / BKP180	Nozzle non-clogging chip deflection in desired direction	EA	451329-1
KP0800 / KP0810 / BKP180	Elbow - for hose extraction (451329-1)	EA	416368-8
KP0810	Edge fence (guide rule)	EA	122785-9
MT110	Box wrench 9	EA	782229-7
MT110 / MT111	Depth guide	EA	345506-4
MT110 / MT111	Guide rule	EA	163539-5
MT190	Guide rule	EA	165378-9



Nozzle
451329-1



Edge fence
122785-9



Magnetic holder
762014-4



Dust bag assembly
122793-0

Router / Trimmer Accessories

Router Accessories

Model	Description	U/M	Stock Code
3620	Wrench 13	EA	781006-4
3612C / RP1110C	Wrench 24	EA	781030-7
MT360 / M3600B	Dust cover set	EA	193894-1
*RT0700C / RP0900 / RP1110C	Straight guide - (*use with plunge base assembly)	EA	164834-6
RP1800X	Dust nozzle assembly	EA	122850-4
RP1800X / RP2301FC	Knob 55 complete	EA	158980-5
RP0900	Base plate	EA	450819-1



Wrench
781006-4



Knob 55
158980-5

Trimmer / Cut-out Tool Accessories

Model	Description	U/M	Stock Code
3700B / 3606 / 3703 / 3707	Wrench 17	EA	781008-0
3710 / 3709	Trimmer base assembly / for chamfering / fine depth adjustment	EA	194269-7
RT0700C	Plunge base assembly / optional fine adjustment straight guide can be used	EA	195563-0
*RT0700C / RP0900 / RP1110C	Straight guide - (*use with plunge base assembly)	EA	164834-6
RT0700C	Tilt base assembly / tilting capacity -30° to 45°	EA	195561-4
RT0700C	Offset base assembly	EA	195562-2
RT0700C	Trimmer base plate	EA	454842-8
RT0700C	Plunge base plate	EA	450819-1
RT0700C	Dust nozzle	EA	195559-1
*RT0700C / RP0900	Dust nozzle - (*use with plunge base assembly)	EA	194733-8
DCO180Z Cut-out tool	Drywall guide bit 3.18mm	EA	193446-8



Trimmer base assembly
194270-2



Trimmer base
454842-8



RT0700C Plunge base
assembly - 195563-0



RT0700C Tilt base assembly
195561-4 Tilting capacity
-30° to 45°



RT0700C Offset base assembly
- 195562-2
Able to trim close to the wall and
tight corners with a bit set in offset
position.



Plunge base plate
450819-1

Collet Cones, Sleeves & Nuts

Model	Description	U/M	Stock Code
3700B / 3707 / 3710 /	Collet cone 6.35mm	EA	763608-8
	Collet nut 6mm	EA	763606-2
M3700	Collet cone 6.32mm	EA	763663-0
	Collet cone 6mm	EA	763607-0
3620 / RP0900 / RT0700C / MT361 M3601B	Collet cone 6mm	EA	763636-3
	Collet cone 6.35mm	EA	763637-1
	Collet cone 8mm	EA	763618-5
	Collet cone 9.5mm	EA	763619-3
	Collet nut 6mm	EA	763615-1
DCO180	Collet Nut	EA	763675-3
DCO180	Collet cone 3.18mm	EA	763677-9
	Collet cone 6.35mm	EA	193179-5
	Collet cone 8mm	EA	193178-7



Collet cone
763608-8



Collet nut
763606-2




Collet cone
763607-0

Router / Trimmer Accessories

Collet Cones, Sleeves & Nuts continued

Model	Description	U/M	Stock Code
RP1800 / RP2301FC / M3600B	Collet cone 12mm (metric)	EA	763628-2
	Collet cone 12.7mm (imperial)	EA	763622-4
	Collet nut 12.7mm	EA	763674-5
3612 / 3612C / MT360 / M3600B	Collet cone 12mm (metric)	EA	763628-2
	Collet cone 12.7mm (imperial)	EA	763622-4
	Collet nut 12.7mm	EA	763629-0
3612 / 3612C / RP1800 / RP2301FC / M3600B / M3601B	Collet sleeve 6mm (reduced from 12mm to 6mm)	EA	763801-4
	Collet sleeve 6.35mm (reduced from 12.7 to 6.35)	EA	763803-0
	Collet sleeve 8mm (reduced from 12mm to 8mm)	EA	763804-8
	Collet sleeve 9.5mm (reduced from 12.7 to 9.5)	EA	763805-6
3710 / MT372 / M3700B	Collet nut 6mm	EA	763661-4
	Collet cone 6.35mm	EA	763663-0
MT360 / MT360B / M3600B	Collet sleeve 6.35mm	EA	763809-8
MT360 / MT3600B	Collet sleeve 9.53mm	EA	763810-3



Collet cone
763801-4



Collet cone
763623-2



Collet cone
763663-0

Guides & Rails

Model	Description	U/M
RT0700C / 3710 / M3700B	Trimmer guide assembly	EA
3707 / 3710 / M3700B	Straight guide assembly	EA
RT0700C / 3620 / RP1110C / RP0900 M3601B	Straight guide - use with plunge base assembly	EA
MT360 / 3612 / 3612C / RP1800 / RP2301FC	Straight guide	EA
3612 / 3612C	Guide holder assembly (straight guide not included)	EA
RP1800X / RP2301FCX / MT360	Guide holder assembly (straight guide not included)	EA
RP1800X / RP2301FCX	Guide rail adaptor	EA
RP1800X / RP2301FCX	1.4m guide rail	EA
RP1800X / RP2301FCX	3.0m guide rail	EA
RP1800X / RP2301FCX	Clamp set	EA
RP0900 / RP1800X / RP2301FCX	Straight guide assembly with micro adjustment	EA



Trimmer guide assembly
122703-7



Guide holder assembly
122256-6



Clamp set
194385-5



Guide rail
194368-5

Template Guides - For Fast Production of Complicated Shapes



Model	A (mm)	B (mm)	C (mm)	U/M	Stock Code
For models RT0700C / 3612 / 3612C / RP0900	7.7	9.5	11.5	EA	164379-4
RP1800 / RP2301FC / MT360 / M3600B / M3601B	9	11	13	EA	164775-6
Straight guide - use with plunge base assembly	10	12	9	EA	164388-3
	11	12.7	13	EA	164776-4
	14.5	16	13	EA	344364-5
	18	20	13	EA	164393-0
	25	29	15	EA	163080-8
For model RP1110C	27	30	13	EA	164471-6
	9	11	11.5	EA	193331-5
	11	12	11.5	EA	193333-1
	27	30	13	EA	193338-1



164388-3




193331-5



Screwdriver Accessories





Makita's Impact Gold, designed for use with high-torque impact drivers, lasts up to 10 times longer than standard insert bits. To help withstand demanding applications, Impact Gold uses Xtreme Torsion Technology, which allows the torsion section of the bit to flex under load and take the pressure off the tip.



Bit Piece for Screwdriver & Impact Driver

You can change from MZ type bit to NZ type bit.



Torsion Screw Bit With Magnet (E-Form) Shank type MZ-B

Size	Description	Shape	Length	U/M	Stock Code
PH1	Torsion screw bit	+	50	2	B-28167
PH2 (Dbl-torsion)	Torsion screw bit		50	2	B-39160
PH3	Torsion screw bit		50	2	B-28189
PZ1	Torsion screw bit	+	50	2	B-28276
PZ2 (Dbl-torsion)	Torsion screw bit		50	2	B-39182
PZ3	Torsion screw bit		50	2	B-28298
SQ1	Torsion screw bit	□	50	2	B-28195
SQ2	Torsion screw bit		50	2	B-28204
SQ3	Torsion screw bit		50	2	B-28210
PH2 (Grip)	Torsion grip bit wood	+	50	2	B-28307
PH2 (Enduro)	Torsion grip bit metal		50	2	B-28313




1/4" Hex (E-form)



Torsion magnetic screw bit

Torsion Screw Bit (C-Form): Shank type A

Size	Description	Shape	Length	U/M	Stock Code
PH 1	Torsion grip screw bit	+	25	2	B-28329
PH 2	Torsion grip screw bit		25	2	B-28335
PH 3	Torsion grip screw bit		25	2	B-28341
PZ 1	Torsion grip screw bit	+	25	2	B-28444
PZ 2	Torsion grip screw bit		25	2	B-28450
PZ 3	Torsion grip screw bit		25	2	B-28466
T 10	Torsion grip screw bit	+	25	2	B-28391
T 15	Torsion grip screw bit		25	2	B-28400
T 20	Torsion grip screw bit		25	2	B-28416
T 25	Torsion grip screw bit	+	25	2	B-28422
T 30	Torsion grip screw bit		25	2	B-28438
SQ 1	Torsion grip screw bit		25	2	B-28363
SQ 2	Torsion grip screw bit	□	25	2	B-28379
SQ 3	Torsion grip screw bit		25	2	B-28385
PH2 (Grip)	Torsion grip insert bit wood	+	25	2	B-28488
PH2 (Enduro)	Torsion grip insert bit metal		25	2	B-28503



1/4" Hex (C-form)



Torsion screw bit

Torsion Bit Holders

Size	Description	Length	U/M	Stock Code
Ultra mag torsion bit holder with strong magnet MZ -B		79	1	B-28531
SQ3/8	Tilt socket adapter MZ-B	56	1	B-28547
SQ1/2	Tilt socket adapter MZ-B	56	1	B-28553
8mm (5/16") Hex 1/4"	Ring nutsetter MZ-B	50	1	B-28569
9.6mm (3/8") Hex 1/4"	Ring nutsetter MZ-B	50	1	B-28575
10mm Hex 1/4"	Ring nutsetter	50	1	B-28581
PH1, PH2, PH3, PZ1, PZ2, PZ3, T15, T20, T25, T30 Torsion bit holder	11pcs. Torsion screw bit set	Bits 25mm, bit holder 66mm	1	B-28597



Torsion bit set

Screwdriver Accessories

Bit, Magnetic Bit Holder and Locator assembly for Drywall

Phillips insert bit



Size	Stock Code
PZ1 x 25mm	MB-BO146
PZ2 x 25mm	MB-BO147
PZ3 x 25mm	MB-BO152

Magnetic bit holder type MZ



Size	Stock Code
6,35-60	784811-8

Locator assembly



Size	Stock Code
Short	122867-7
Long	122868-5



FS2500, FS6300, FS4300,
FS2300, DFS450

Flat Bit (Slotted)



Size	Fit	U/M	Stock Code
0.8mm x 5mm x 50mm	1/4" universal	2 pcs	MG-BO227
1.6mm x 6.35mm x 50mm	1/4" universal	2 pcs	MG-BO228

Phillips Bits (Double Sided)



Size	Fit	U/M	Stock Code
PH2 x 45mm	1/4" universal	2 pcs	MG-BO223
PH1 x 65mm	1/4" universal	2 pcs	MG-BO222

Phillips Bits (Single Sided)



Size	Fit	U/M	Stock Code
PH2 (No. 2) x 150mm	1/4" universal	2 pcs	MG-B0146
PH2 (No. 2) x 162mm	1/4" universal (NZ-B)	5 pcs	B-10481

Pozidriv Bits (Single Sided)



Size	Fit	U/M	Stock Code
PZ1 (No. 1) x 25mm Insert bit	1/4" hex	2 pcs	MB-BO146
PZ2 (No. 2) x 25mm Insert bit	1/4" hex	2 pcs	MB-BO147
PZ3 (No. 3) x 25mm Insert bit	1/4" hex	2 pcs	MB-B0152
PZ3 (No. 3) x 52mm	1/4" hex	2 pcs	MB-B0153
PZ1 (No. 1) x 50mm	1/4" universal	2 pcs	MB-B0148
PZ2 (No. 2) x 50mm	1/4" universal	2 pcs	MB-B0149
PZ1 (No. 1) x 82mm	1/4" universal	2 pcs	MB-BO144
PZ2 (No. 2) x 82mm	1/4" universal	2 pcs	MB-BO145

Pozidriv Bits (Double Sided)



Size	Fit	U/M	Stock Code
PZ2 (No. 2) / 45mm	1/4" universal	2 pcs	MB-B0155
PZ2 (No. 2) / 65mm	1/4" universal	2 pcs	MB-B0150

Screwdriver Accessories

Bit Holder (Magnetic)

Description	Size	Fit	U/M	Stock Code
Used with insert bits & fits all Makita screwdrivers drill / drivers & most other brands.	6.35mm / 60mm	1/4" MZ type	EA	784811-8
	65mm	1/4" hex	EA	MG-GO193




Magnetic Socket Bits

Description	Size	Fit	U/M	Stock Code
Used for roofing screws, teks screws & nut running	3/8" (NZ) x 55mm length	1/4" hex	EA	784809-5
	3/8" (MZ) x 65mm length	1/4" hex	EA	784802-9
	3/8" x 65mm length	1/4" universal	EA	MG-GO189
	5/16" x 65mm length	1/4" universal	EA	MG-GO190
	6,8,10,12,13mm x 50mm length	1/4" hex (MZ-B)	5 pc / set	B-39154



Magnetic socket bit
B-39154



Magnetic
socket bit

Solid Socket Bits (Specified for Impact Drivers / Screwdrivers)

Size	Fit	U/M	Stock Code
M5 x 8mm x 55mm (NZ)	1/4" universal	EA	784403-3
M8 x 13mm x 55mm (NZ)	1/4" universal	EA	784408-3
M8 x 14mm x 55mm (NZ)	1/4" universal	EA	784409-1
1/4" x 3/8" x 55mm - for self drilling screw (NZ)	1/4" universal	EA	784404-1



M8 x 13mm x 55mm
784408-3

Locators & Front Caps

Model	Size	Fit	U/M	Stock Code
FS2700	5/16" (Length = 65mm)	Front cap for magnetic socket bit	EA	322125-3
FS2700	3/8" (Length = 65mm)	Front cap for magnetic socket bit	EA	322119-8
FS2700	12 (Length = 45mm)	Front cap for Phillips bit	EA	322070-2
FS2700	15,5	Front cap for socket bit	EA	322069-7
FS2500 / FS2700	For 3/8" bit size	Locator	EA	450968-4
FS2500	Short (60mm)	Locator for magnetic bit holder + insert bit	EA	122867-7
FS2500	Long (75mm)	Locator for magnetic bit holder + insert bit	EA	122868-5
FS2500 / FS2700	For 1/4" bit size	Locator (magnetic)	EA	450963-4
FS2300 / FS4300 / FS6300	Short (60mm)	Locator	EA	158875-2
6823 / 6824 / 6825	1/4"	Locator	EA	151760-8



Front cap
322070-2



FS2700

Rotary Hammer Accessories - SDS Plus Shank

The Difference Between SDS Plus and SDS Max Shanks



SDS Plus drill bits have 4 grooves (2 open grooves, 2 closed). The reason that SDS Plus drill bits have 4 grooves is to support the extra torque that the SDS Plus drill provides. They have a 10mm shank which is inserted 40mm into the tool holder (chuck).



SDS Max is more heavy duty industrial and in general have larger body diameters. The shank is 18mm, with 3 open grooves and is inserted 90mm into the tool holder (chuck).

For demolishing concrete



SDS Plus Bull Point

For chipping, edging, break away



SDS Plus Flat Chisel

For chipping away scale of dried concrete splatter



SDS Plus Scaling Chisel

Chisels & Adaptors

Model	Description	U/M	Stock Code
SDS Plus	Bull point chisel 250mm	EA	D-08713
SDS Plus	Flat chisel 20 x 250mm	EA	D-08729
HR2450T / HR2470T (T series only)	Quick change drill chuck 13mm	EA	194079-2
HR2450T / HR2470T (T series only)	Quick change chuck - SDS+	EA	194080-7
SDS Plus	Scaling chisel 40 x 250mm	EA	D-08735
SDS Plus	SDS Plus chuck adaptor (long)	EA	D-14093

SDS Plus Tungsten Carbide-tipped Bits

Bit Diameter (mm)	Full Length (mm)	Work Length (mm)	U/M	Stock Code
4	110	42	EA	D-00016
5	110	42	EA	D-00022
5	160	92	EA	D-00038
6	110	42	EA	D-00050
6	160	92	EA	D-00066
6	210	140	EA	D-00072
7	110	42	EA	D-00119
8	110	42	EA	D-00125
8	160	92	EA	D-00131
8	210	140	EA	D-00147
8	260	185	EA	D-00153
10	160	92	EA	D-00175
10	260	185	EA	D-00197
10	310	235	EA	D-00206
12	160	92	EA	D-00228
12	210	140	EA	D-00234
12	260	185	EA	D-00240
12	460	365	EA	D-16271
14	160	85	EA	D-00262
14	260	175	EA	D-00278
14	460	365	EA	D-17544
15	160	100	EA	D-00284
16	210	125	EA	D-00290
16	310	225	EA	D-00309
16	460	365	EA	D-16287
18	210	120	EA	D-00321
18	300	210	EA	D-00337
18	460	365	EA	D-17566
20	210	120	EA	D-00359
20	310	220	EA	D-00365
20	460	365	EA	D-15235
22	260	170	EA	D-00371
22	460	365	EA	D-15241
24	460	365	EA	D-16302
25	260	170	EA	D-00387
25	460	365	EA	D-15257
26	460	365	EA	D-15263
30	460	365	EA	D-17572



SDS Plus tungsten carbide-tipped bit

Rotary Hammer / Breaker Accessories - SDS Max Shank



Chisels

Description	Width (mm)	Length (mm)	U/M	Stock Code
Bull point chisel - for demolishing concrete	-	280	EA	A-80787
Bull point chisel - for demolishing concrete	-	400	EA	A-80793
Flat chisel - for chipping, edging and channeling	25	400	EA	A-80818
Tile chisel	50	300	EA	A-80830
Scaling chisel - a wide chisel for chipping away scale of dried concrete matter	50	400	EA	A-80824



Bull point chisel
Flat chisel
Tile chisel



D-Series SDS-Max Economy Chisels

Description	Width (mm)	Length (mm)	U/M	Stock Code
SDS-Max bull point	-	300	EA	D-34176
SDS-Max bull point	-	400	EA	D-34182
SDS-Max bull point	-	600	EA	D-34198
SDS-Max flat chisel	25	300	EA	D-34207
SDS-Max flat chisel	25	400	EA	D-34213
SDS-Max flat chisel	25	600	EA	D-34229
SDS-Max scaling chisel	50	400	EA	D-34235
SDS-Max scaling chisel	80	300	EA	D-34241



Bull point
Flat chisel
Scaling chisel



D-Series SDS-Max Economy Tungsten Carbide-tipped Bits (2-cutter)

Bit Diameter (mm)	Full Length (mm)	Work Length (mm)	U/M	Stock Code
12	340	200	EA	D-33875
12	540	400	EA	D-33881
14	340	200	EA	D-33897
14	540	400	EA	D-33906
15	540	400	EA	D-33928
16	340	200	EA	D-33934
16	540	400	EA	D-33940
18	340	200	EA	D-33956
18	540	400	EA	D-33962
20	340	200	EA	D-33978
20	540	400	EA	D-33984
22	340	200	EA	D-33990
22	540	400	EA	D-34001
24	340	200	EA	D-34017
24	540	400	EA	D-34023
25	340	200	EA	D-34039



D-series SDS Max 12mm
D-series SDS Max 24mm



Rotary Hammer / Breaker Accessories - SDS Max Shank

D-Series SDS-Max Economy Tungsten Carbide-tipped Bits (2-cutter) continued

Bit Diameter (mm)	Full Length (mm)	Work Length (mm)	U/M	Stock Code
25	340	200	EA	D-34039
25	540	400	EA	D-34045
28	370	250	EA	D-34051
28	570	450	EA	D-34067
30	370	250	EA	D-34073
30	570	450	EA	D-34089
32	370	250	EA	D-34095
32	570	450	EA	D-34104
35	370	250	EA	D-34110
35	570	450	EA	D-34126
38	370	250	EA	D-34132
38	570	450	EA	D-34148
40	370	250	EA	D-34154
40	570	450	EA	D-34160



D-series
SDS Max

Breaker Accessories

Breaker Chisels



17mm Hex Shank



Bull point A-80450

Model	Description	U/M	Stock Code
Fits model M8600B	Bull point chisel 280mm	EA	A-80450
	Bull point chisel 450mm	EA	A-80547
	Flat chisel 17 x 280mm	EA	A-80569
	Flat chisel 17 x 450mm	EA	A-80575
	Scaling chisel 50 x 280mm	EA	A-80606



21mm Hex Shank



Bull point A-80553



Flat chisel A-80581

Model	Description	U/M	Stock Code
Fits model HM1200	Bull point chisel 450mm	EA	A-80553
	Flat chisel 26 x 450mm	EA	A-80581
	Scaling chisel 70 x 300mm	EA	A-47575



30mm Hex



Flat chisel D-15300



Clay spade
B-10300

Model	Description	U/M	Stock Code
Fits models HM1303 / HM1304 / HM1307C	Bull point chisel 400mm	EA	D-15285
	Bull point chisel 410mm	EA	A-80466
	Flat chisel 30 x 400mm	EA	D-15300
	Scaling chisel 75 x 310mm	EA	D-23868
	Clay spade 120 x 500mm	EA	B-10300



28.6mm Hex



Bull point D-17631



Scaling chisel D-20725

Model	Description	U/M	Stock Code
Fits models HM1800 / HM1801 / HM1802 / HM1810 / HM1812	Bull point chisel 410mm	EA	D-17631
	Flat chisel 28 x 410mm	EA	D-17647
	Scaling chisel 75 x 520mm	EA	D-20725
	Flat chisel 28 x 520mm	EA	D-17681



Service Kits - Rotary Hammers / Breakers

Service Kits - Rotary Hammers

Model	U/M	Stock Code
HR2020 / HR2022 / HR2440 / HR2450 / HR2450T / HR2455	EA	193606-2
HR2460 / HR2470 / HR2470T / HR2230	EA	195263-2
HR2475	EA	195109-2
HR2300 / HR2600 / HR2610	EA	195105-0
HR2631F	EA	196967-9
HR2810	EA	195206-4
HR3000C	EA	193390-9
HR3200C / HR3210C	EA	195199-5
HR4000C	EA	193283-0
HR4002 / HR4011C	EA	195195-3
HR4003C / HR4013C	EA	196532-4
HR5211C	EA	195191-1
HR5212C	EA	196865-7
MT870	EA	195796-7
BHR202 / BHR240	EA	195193-7
DHR263 / DHR262	EA	195189-8
HR2630	EA	196968-7
M8701	EA	198221-7

Service Kits - Breakers

Model	U/M	Stock Code
HM0860C	EA	195204-8
HM0870C	EA	195113-1
HM1202C	EA	193391-7
HM1203C	EA	195114-9
HM1304	EA	195201-4
HM1307C	EA	195103-4
HM1800	EA	193402-8
HM1801 / HM1810	EA	195205-6
HM1802 / HM1812	EA	197127-6
M8600B	EA	196918-2



Service kit HM1307C
195103-4



Service kit HM1801 / HM1810
195205-6

Rotary Hammer Accessories

Rotary Hammer Accessories

Model	Description	U/M	Stock Code
BHR202 / DHR262 / DHR263 / HR2470 series / HR2800 series	Dust extractor attachment	EA	193472-7
HR2300 / HR2600 / HR2610 / HR2630 HR2631	Dust cup set	EA	195173-3
	Grease for hammer bit	EA	194683-7



Dust extractor attachment
193472-7



Dust cup set 195173-3



Multi Tool Accessories - for Models TM3000CX2 & BTM50ZK / DTM50ZK

Saw Blades

Description	Application / Recommended Use	Size (mm)	Blade Type	U/M	Stock Code
Segment saw blade 85 TMA001	Non ferrous metal, FRP, PVC / suitable for corners. Plunge cut in plateboard / cement-bonded fibre boards. Cut recesses in epoxy / glass fibre reinforced plastic	85	BiM-TiN / Multi Material	EA	B-21272
Segment saw blade 65 TMA002	Non ferrous metal, FRP, PVC / suitable for corners. Cutting recesses in epoxy / glass fibre reinforced plastic. Cutting sheet metal up to 1mm. Removing old window putty	65	BiM-TiN / Multi Material	EA	B-21288
Round saw blade 85 TMA003	Non ferrous metal, FRP, PVC. Cutting wood with nails. Cut recesses in epoxy / glass fibre reinforced plastic	85	BiM-TiN / Multi Material	EA	B-21294
Round saw blade 65 TMA004	Non ferrous metal, FRP, PVC / Cutting recesses in epoxy / glass fibre reinforced plastic. Cutting sheet metal up to 1mm. Removing old window putty	65	BiM-TiN / Multi Material	EA	B-21303
Segment saw blade 100 TMA005	Wood & Metal / suitable for deep cutting. Cut off door frame to length on the floor. Cut out laminate flooring	100	Bi-Metal Offset	EA	B-21319
Segment saw blade TMA006	Wood & Metal / suitable for deep cutting. Cut off door frame to length on the floor. Cut out laminate flooring	85	Bi-Metal Offset	EA	B-21325
Segment saw blade TMA007	Wood / suitable for flush cutting. Plunge-cut in solid wood. Cut PVC to length	85	HCS Wood offset	EA	B-21331



Segment saw blade
B-21272

Cutting Blades

Description	Application / Recommended Use	Size (mm)	Blade Type	U/M	Stock Code
Serrated segment blade 100 TMA020	Polystyrene, rubber / suitable for insulation material. Flush cutting to length of protruding material. Insulation panels to size.	100	BiM	EA	B-21462
General joint cutter TMA021	Cutting window putty or silicone. Cutting insulation materials. Cut soft expansion joints.	28 x 50	HCS	EA	B-21478
Universal purpose knife TMA042	Cutting insulation materials. Cutting window putty. Cutting expansion joints.	32 x 50	HCS	EA	B-46866



Serrated segment blade
B-21462



Universal purpose knife (pull cutting)
B-46866




Universal purpose knife (pull cutting)
B-46866



Universal purpose knife (push cutting)
B-46866

Multi Tool Accessories - for Models TM3000C & DTM50ZK

Plunge Saw Blades



Description	Application / Recommended Use	Size (mm)	Blade Type	U/M	Stock Code
Plunge cut saw blade 65 TMA008	Wood and nails / suitable for plunge cutting. Cutting wood with nails. Cut door frame to length. Plunge cuts in laminated panels	65 x 40	Bi-Metal	EA	B-21347
Plunge cut saw blade 28 TMA009	Wood and metal / suitable for plunge cutting in wood, abrasive wooden material and plastics	28 x 50	Bi-Metal	EA	B-21353
Plunge cut saw blade 32 TMA010	Plunge cut in laminated panels or hard wood. Cut recess in furniture components. Flush cut wooden components	32 x 40	Bi-Metal	EA	B-21369
Plunge cut saw blade 32 TMA012	Cut recess in furniture components. Flush cut wooden components to length	32 x 40	HCS	EA	B-21381
Plunge cut saw blade 20 TMA013	Plunge cut in soft wood. Cut recess in furniture components. Flush cut wooden components to length	20 x 30	HCS	EA	B-21397
Plunge cut saw blade 10 TMA014	Plunge cut in soft wood. Cut recess in furniture components. Filigree adjustment work in wood	10 x 30	HCS	EA	B-21406
Plunge cut saw blade 32 TMA015	Metal / suitable for flush cutting nails or copper pipe. Plunge cuts in plasterboard	32 x 30	Bi-Metal	EA	B-21412
Plunge cut saw blade 20 TMA016	Metal / suitable for flush cutting nails or copper pipe. Plunge cuts in plasterboard	20 x 20	Bi-Metal	EA	B-21428
Plunge cut saw blade 10 TMA017	Metal / suitable for flush cutting nails or plaster board. Filigree adjustment work on non ferrous profiles	10 x 20	Bi-Metal	EA	B-21434



TMA008
Plunge cut saw blade
B-21347



TMA017
Plunge cut saw blade
B-21434

HM Segment Saw Blades




Description	Application / Recommended Use	Size (mm)	Blade Type	U/M	Stock Code
HM segment saw blade 85 TMA023	Routing joints on wall and floor tiles. Routing grooves in porous concrete, for laying concealed cables and pipes	85	HM grit #30	EA	B-21490
HM segment saw blade 65 TMA024	Routing extra thin 1/16" joints on wall tiles. Routing recesses in epoxy / glass fibre reinforced plastic. Routing grooves in porous concrete, for laying concealed cables and pipes	65	HM grit #50	EA	B-21509
Diamond segment saw blade 85 TMA026	Routing joints on wall tiles / cutout soft wall tiles and FRP. Routing recesses in epoxy / glass fibre reinforced plastic	85	Diamond grit #40	EA	B-21521

Multi Tool Accessories - for Models TM3000CX2 & BTM50ZK / DTM50ZK



HM Plunge Blade 20

Description	Application / Recommended Use	Size (mm)	Blade Material	U/M	Stock Code
TMA028	Plunge cut and rasping in fibreglass. Deburr cut-out in fibreglass. Remove grout in narrow corners or tight spaces	20 x 20	HM grit #50	EA	B-34811



HM Sanding Plate 78

Description	Application / Recommended Use	Size (mm)	Blade Material	U/M	Stock Code
TMA025	Removing mortar or tile adhesive. Removing carpet adhesive residue from a mineral surface	78	HM grit #30	EA	B-21515



TMA025
Riff sanding plate
B-21515



HM Remover


Description	Application / Recommended Use	Size (mm)	Blade Material	U/M	Stock Code
TMA022	Routing joints on wall and floor tiles. Removing mortar or tile adhesives. Removing joints in the smallest of corners with the tungsten carbide tip	70	HM grit #40	EA	B-21484



TMA022
HM remover
B-21484

Sanding Pad

Description	Application / Recommended Use	Size (mm)	Blade Material	U/M	Stock Code
Sanding pad	For use with abrasive delta paper / polishing felt / delta fleece	78	Hook & loop	EA	B-46202



RIFF sanding pad
B-21537

Abrasive & Polishing Pads

Description	Application / Recommended Use	Size (mm)	Grit	U/M	Stock Code
Fleece	Suitable for removing rust from metal and dirt from wood	94	Medium / 280	EA	B-21799



• Use with sanding pad B-21537

Multi Tool Accessories - for Models TM3000CX2 & BTM50ZK / DTM50ZK

Delta Paper (Hook & Loop Type)
• Use with Sanding Pad - B-46202

Description	Application / Recommended Use	Size (mm)	Grit	U/M	Stock Code
Red abrasive delta paper	Suitable for sanding wood, hardboard, chipboard, construction boards and metal	94	60	10	B-21565
			80	10	B-21571
			120	10	B-21593
			240	10	B-22931



Red abrasive delta paper

Red abrasive delta paper	Wood / suitable for sanding wood and wooden materials	94	60	10	B-21624
			80	10	B-21630
			100	10	B-22947



White abrasive delta paper

White abrasive delta paper	Suitable for sanding paint, varnish or roughcast	94	Mix Pack 60, 80, 100, 240, 320	10 (2 pcs / each)	B-21674
			120	10	B-22969



Black abrasive delta paper

Black abrasive delta paper	Stone / suitable for coarse to gloss sanding of extremely hard materials such as stone or glass.	93	Mix Pack 120, 240, 400, 600, 1200	10	B-21733
----------------------------	--	----	-----------------------------------	----	---------




Red abrasive delta paper



White abrasive delta paper

Scrapers

Description	Application / Recommended Use	Size (mm)	Blade Type	U/M	Stock Code
Scraper 52 flexible TMA019	Robust and flexible scraper blade is ideal for removing soft carpet adhesive residues, paint residues and silicone joints	52 x 45	HCS	EA	B-21456

TMA019
Scraper 52
B-21456

Outdoor Power Equipment Accessories

Chain Saws


Model	Description	U/M	Stock Code
DCS4610 / EA4301F / EA3502S	Guide bar 400mm / .325" .050" 38cm - 15"	EA	165202-6
UC4020A / UC4030 / UC4001A / UC4041A / UC4051A	Guide bar 400mm / .325" .050" 38cm - 15"	EA	165202-6
DCS4610 / EA4301F / EA3502S	Chain blade 400mm bar / 56 drive links / 3/8" pitch / gauge 1.3mm/0.050"	EA	196208-3
UC4020A / UC4030A / UC4041A / UC4051A	Chain blade 400mm bar / 56 drive links / 3/8" pitch / gauge 1.3mm / 0.050"	EA	196208-3
EA4301F	Guide bar 450mm .325" .050" 45mm - 18"	EA	161421-2
EA4301F	Chain blade for 450mm bar / 72 drive links / .325" pitch / gauge 1.3mm/0.050"	EA	532484072
EA4301F	Chain cover 450mm (chain protection)	EA	952020640
UC4020A / UC4030A / UC4041A / 51A	Chain cover	EA	419242-9
DUC302	Guide bar 300mm/12"	EA	165245-8
DUC302	Chain blade 3/8"pitch / 0.043" gauge	EA	196740-7
DUC122	Chain blade 160mm 1/4" pitch 42 links	EA	791284-8
DUC122	Guide Bar 160mm	EA	15847-6
DUC122	Bar Cover	EA	416311-7
DUC400	Chain blade 300mm 3/8" pitch 46 links	EA	196208-3
DUC400	Guide Bar 400mm	EA	165247-4
DUC400	Bar Cover 400mm	EA	419242-9



Chain cover



Chain cover



Guide bar



Chain blade

Brushcutters

Model	Description	U/M	Stock Code
EBH253U / RBC413U / EBH341	Nylon head B&G M10 X 1.25LH	EA	B-05131
RBC2110 / RBC411 / RBC420 / EBH253U / EBH341	Star blade 230mm x 4T x 25.4mm hole dia x 1.8mm thick. Tall grass & shrubs	EA	B-14118
RBC2110 / RBC411 / RBC420 / EBH253U / EBH341	Saw blade 230mm x 80T x 25.4mm hole dia x 1.8mm thick. For bushes	EA	B-14152
RBC2110 / EBH253U	String trimmer head ultra auto 4L. Arbor = M8 & 10 x 1.25LH. For grass	EA	B-02945
RBC420 / RBC411 / EBH341 / RBC413U / EM4350	Saw blade 255mm x 80T x 25.4mm hole dia x 2.0mm thick. For bushes	EA	B-14168
RBC420 / RBC413U / RBC411 / EM4350 / EBH341 / RBC2110	Ultra auto 6L nylon head M10 x 1.25LH	EA	A-81658
DUR181Z	Nylon cord 1.65mm	15M	196148-5
DUR181Z	Spool assembly	EA	196146-9
DUR364L / DUR365	Plastic blade set including nut - 255mm	EA	197188-6
DUR364 / 365	Replacement blades plastic	3 PCS	197189-4
DUR364L / 365U	Protection guard for cutting blade only	EA	197294-7
DUR365U	Nylon head B&F M10 x 1.25LH	EA	197296-3
EBH253U / RBC413 / EM4350 / EBH341	Bump feed head	EA	B-05131



String trimmer head
B-02945



Nylon cutting head
A-81658



Star blade
B-14118

Outdoor Power Equipment Accessories

Brushcutter & String Trimmer Nylon Line

Model	Description	U/M	Stock Code
RBC2110 / UM4030	Silent nylon line 2.0mm x 3.5m	EA	369224661
RBC2110 / UM4030	Silent nylon line 2.0mm x 15m	EA	369224660
RBC2110 / UM4030	Silent nylon line 2.4mm x 3.5m	EA	369224671
RBC2110 / UM4030	Silent nylon line 2.7mm x 15m	EA	369224673
RBC2110 / UM4030	Silent nylon line 3.0mm x 15m	EA	369224674



Silent nylon line

String Trimmer

Model	Description	U/M	Stock Code
UM4030	Dual line tap & go trimmer head	EA	680224210



Dual line tap and go
680224210

Hedge Trimmer / Shear

Model	Description	U/M	Stock Code
UH6570	Shear blade assembly set	EA	194666-7
UH6570	Chip receiver assembly set	EA	194681-1
UH6570	Blade cover	EA	450490-1
UH6570	Cord holder complete set	EA	194677-2
DUM168	Shear blade	EA	195267-4
DUM168	Blade cover	EA	452055-5
DUH523	Shear blade	EA	195769-0



Cord holder complete set
194677-2



Shear blade
194666-7



Chip receiver
194681-1



Blade cover
450490-1

Lawn Mower

Model	Description	U/M	Stock Code
DLM3802	Lawn mower blade set	EA	196863-1
DLM3802	Grass catcher	EA	196429-3
DLM431	Blade 430 set	EA	196061-7

Oils - Petrol Products

Model	Description	U/M	Stock Code
Brushcutter oil	2-Stroke oil 1 x 1 litre	EA	98MAK2STK1LTR



ACCESSORIES APPLICATION



Images for illustrative purposes only.

Li-Ion Battery & Charger Time Reference, Compatibility Chart

18V Lithium-ion		DC18RC Fast Charger	DC18SE Automotive Charger	DC18RD Two Port Multi Fast Charger
6.0 Ah	 BL1860B (197422-4) *BL1860B with Battery Fuel Gauge*	WITH DC18RC 55 min. Fast Charging	WITH DC18SE 130 min.	
5.0 Ah	 BL1850B (197260-8) *BL1850B with Battery Fuel Gauge*	45 min. Fast Charging	110 min.	
3.0 Ah	 BL1830B (197599-5) *BL1830B with Battery Fuel Gauge*	22 min. Fast Charging	60 min.	
1.5 Ah	 BL1815N (632A54-1)	15 min. Fast Charging	30 min.	No discharging required Shock Absorbing Heavy Duty Pack Longtime Storage Low Self Discharge

710%

Extreme Stamina Life time work volume (5.0Ah)

The figure is a relative value when the amount of Ni-Cd 1.9Ah is indexed at 100.



The built-in CPU in battery records the battery usage history and transmits it to the charger.



Digital Communication




Built-in CPU

The CPU built in the charger analyzes its condition: high temperature, re-charge after full charged, over-discharging. The battery lasts long life because it can be charged at the best method and time.



40% Lighter



MAKITA 18V Ni-MH 2.8Ah

MAKITA 18V Li-ion 5.0Ah

Firm Holding

Multi-contact terminals reduce electrical resistance and increase connection stability withstanding against vibration, and ultimately ensures Stable current supply to the tool.




Rutherford

A MEMBER OF THE **Hudaco** GROUP

Sole Agents for Makita



Makita

MARTLET

Light Industrial Machinery

Branches:
 • Johannesburg: 011 878 2600
 • Cape Town: 021 932 0568
 • Durban: 031 717 6400

Tel:
 011 878 2600
 021 932 0568
 031 717 6400

Fax:
 011 873 5010
 021 932 2762
 031 709 1928



<http://www.facebook.com/MakitaPowerToolsSA>



<http://twitter.com/MakitaToolsSA>

Like us on
facebook



www.makita.co.za